

**COMPLETE TIMER MANUFACTURING FACILITY**

# WEBCAST / ONSITE AUCTION

**WED, DEC 14<sup>TH</sup> 2011 @ 10AM EST**



CINCINNATI MILACRON 220 Ton Injection Molder

**3405 W SR 28  
FRANKFORT, IN**

**PREVIEW: TUES, DEC. 13 FROM  
9AM-4PM OR BY APPOINTMENT**

***NIDEC MOTOR  
CORPORATION***

**FEATURING OVER 45  
CINCINNATI MILACRON  
AND VAN DORN  
INJECTION MOLDERS  
AS NEW AS 1998  
AND UP TO 220 TONS**



VAN DORN 170 Ton Injection Molder



CINCINNATI MILACRON 85 Ton Injection Molder

**Online bidding available | Register at [www.bidspotter.com](http://www.bidspotter.com)**

SALE CONDUCTED BY

**Maynards**  
SINCE 1902

**AUCTIONS | LIQUIDATIONS | APPRAISALS**

21700 Northwestern Hwy.,  
Suite 1180  
Southfield, MI 48075  
Tel: (248) 569-9781

**[www.maynards.com](http://www.maynards.com)**

IN CONJUNCTION WITH



**[www.biditup.com](http://www.biditup.com)**



**3 AVAILABLE**

**CINCINNATI MILACRON 85 Ton Injection Molder**



**CINCINNATI MILACRON 220 Ton Injection Molder**



**CINCINNATI MILACRON 165 Ton Injection Molder**



**8 AVAILABLE**

**CINCINNATI MILACRON 85 Ton Injection Molder**

### INJECTION MOLDERS

- **CINCINNATI MILACRON** Model VT220-13 Injection Molder, 220 ton, s/n T37A0397043, year 1997, 13 oz shot, Clamp Stroke 19.7", Max Daylight 38.7", Platen Size 30.9" x 30.1", Tie Bar Space 21.3" x 19.3", Eject Stroke 3.9"
- **VAN DORN** Model HT8-170, 170 Ton Injection Molder, s/n 1017, year 1997, 8 oz shot, Clamp Stroke 17", Max Daylight 35", Platen size 29" x 29", Tie bar space 20" x 20", Eject Stroke 4.5"
- **VAN DORN** Model 170RS-8F Injection Molder, 170 Ton, s/n 365, year 1991, 8 oz shot, Clamp stroke 17", Max daylight 35", Platen Size 29" x 29", Tie Bar Space 20" x 20", Eject Stroke 4.0"
- **CINCINNATI MILACRON** Model VT-165-5 Injection Molder, 165 ton, s/n T36A0395019, year 1995, 5 oz shot, Clamp Stroke 15.7", Max Daylight 30.7", Platen Size 26.8" x 25.6", Tie Bar Space 17.9" x 16.7", Eject Stroke 2.9"
- **CINCINNATI MILACRON** Model VST85-6.04 Injection Molder, 85 ton, 6.04 oz. shot, s/n S85A0495061, year 1995, Clamp Stroke 12.2", Max Daylight 27.95", Platen Size 24" x 22.2", Tie Bar Space 15.95" x 14.17", Eject Stroke 4.72"
- **CINCINNATI MILACRON** Model VSX85-4.44 Injection Molder, 85 ton, s/n S85A0498095, yr 1998, 3.76 oz shot, Clamp Stroke 12.2", Max Daylight 27.95", Platen Size 24" x 22.2", Tie Bar Space 15.95" x 14.17", Eject Stroke 4.72"



**NEWBURY 80 Ton Vertical Injection Molder**



**CINCINNATI Vertical Injection Molder**



**4 AVAILABLE**

**CINCINNATI MILACRON 33 Ton Injection Molder**



**VAN DORN 170 Ton Injection Molder**



**MINSTER 60 Ton Straight Side Press**



**MINSTER 30 Ton Straight Side Press**



**DO-ALL Vertical Band Saw**

### INJECTION MOLDERS

- **(3) CINCINNATI MILACRON** Model VSX85-4.44 Injection Molders, 85 ton, s/n S85A0394004, S8A0394019, S85A0394031, year 1994, 4.44 oz shot, Clamp Stroke 12.2", Max Daylight 27.95", Platen Size 24" x 22.2", Tie Bar Space 15.95" x 14.17", Eject Stroke 4.72"
- **(2) CINCINNATI MILACRON** Model VSX85-3.76 Injection Molders, 85 ton, s/n S85A0498047, S85A0498038, year 1998, 3.76 oz shot, Clamp Stroke 12.2", Max Daylight 27.95", Platen Size 24" x 22.2", Tie Bar Space 15.95" x 14.17", Eject Stroke 4.72"
- **(4) CINCINNATI MILACRON** Model VSX85-3.76 Injection Molders, 85 ton, s/n 3485A21/91-8, 91-9, 91-11, 91-16, year 1991, 3.76 oz shot, Clamp Stroke 12.2", Max Daylight 27.95", Platen Size 24" x 22.2", Tie Bar Space 15.95" x 14.17", Eject Stroke 4.72"
- **(3) CINCINNATI MILACRON** Model VSX85-2.27 Injection Molders, 85 ton, s/n S85A0194009, s/n 3485A21/93-068, 92-111, year 1994, 2.27 oz shot, Clamp Stroke 12.2", Max Daylight 27.95", Platen Size 24" x 22.2", Tie Bar Space 15.95" x 14.17", Eject Stroke 4.72"
- **(3) CINCINNATI MILACRON** Model VT85-5 Injection Molders, 85 ton, s/n 4034A61/91-8, 90-40, 90-45, years range 1988-1991, 5 oz shot, Clamp Stroke 11", Max Daylight 24", Platen Size 22" x 19.7", Tie Bar Space 14.2" x 11.8", Eject Stroke 2.8"
- **(8) CINCINNATI MILACRON** Model VT85-2.4 Injection Molders, 85 ton, s/n 4034A41/89-37, 89-24, 89-23, 88-34, 88-33 s/n 4034A61/90-37, 90-25, 90-6, years range 1988-1990, 2.4 oz shot, Clamp Stroke 11", Max Daylight 24", Platen Size 22" x 19.7", Tie Bar Space 14.2" x 11.8", Eject Stroke 2.8"
- **CINCINNATI MILACRON** Model V55-2.27 Injection Molder, 55 ton, s/n 3401A1/90-1, year 1990, 2.27 oz shot, Clamp Stroke 11.02", Max Daylight 24.8", Platen Size 19.69" x 19.09", Tie Bar Space 12.8" x 12.2", Eject Stroke 3.94"
- **(4) CINCINNATI MILACRON** Sentry Model VSX33-1.29 Injection Molders, 33 ton, s/n 33A0496020, 6015, 6014, 6013, year 1996, 1.29 oz shot, Clamp Stroke 9.84", Max Daylight 21.65", Platen Size 15.55" x 15.55", Tie Bar Space 10.24" x 10.24", Eject Stroke 3.15"
- **VAN DORN** Model 250-RS-14F Injection Molder, 250 ton, s/n 442, year 1997, 14 oz. shot, Clamp Stroke 19", Max Daylight 42", Platen Size 33" x 36", Tie Bar Space 22" x 22", Eject Stroke 8.5"
- **VAN DORN** Model 85-RS-5F Injection Molder, 85 ton, year 1993, 5 oz. shot, Clamp Stroke 12", Max Daylight 28", Platen Size 22.8" x 20.4", Tie Bar Space 16" x 13.6", Eject Stroke 3"
- **(5) VAN DORN** Model 75-RS-5F Injection Molder, 75 ton capacity, years range 1974-1986, 5 oz shot, Clamp Stroke 6.0"-10.0", Max Daylight 25", Platen Size 23.75" x 21.5", Tie Bar Space 16" x 13.6", Eject Stroke 3"

**SALE SUBJECT TO ADDITIONS, DELETIONS & PRIOR SALES, PLEASE CHECK AVAILABILITY OF EQUIPMENT**

### VERTICAL INJECTION MOLDERS

- **NEWBURY** Model V3-80-BRS, 80 Ton Vertical Injection Molder, s/n 4-9361-80BS-98
- **NEWBURY** Model V4-75-BRS 75 Ton Vertical Injection Molder, s/n 3-7440-75BS-86
- **CINCINNATI MILACRON** Model Vector CH-70-R, 70 ton Vertical Injection Molder, s/n 3956A01/93-2, year 1993, 2.97 oz shot
- **CINCINNATI MILACRON** Model Vector CH-40-R, 40 ton Vertical Injection Molder, s/n 3947A01/94-6, year 1994, 2.97 oz shot
- **NEWBURY** Model V4-30ARS, 30 ton Vertical Injection Molder, s/n 10-7358-30AS-85, 4 oz shot
- **ENGEL** Model ES/200/55/vHRB 55-ton Vertical Injection Molder, 3 oz shot

### PRESSES

- **MINSTER** Model P2-60-36, 60 Ton Straight Side Press, s/n P2-60-23735, Stroke 3", Slide Adjust 3", Shut Height 24.5",
- **MINSTER** Model P2-30-24, 30 Ton Straight Side Press, s/n P2-30-14527, Stroke 2", Slide Adjust 2", Shut Height 10"
- **LITTELL** Model 5 Dereeler, s/n 92225-95
- **LITTELL** Model 308 Straightener, s/n 80071072
- **(2) DENNISON** Model WUA-2TR Multipresses



**SHELDON Model 15 Lathe**



**HARDINGE Model HLV-H Lathe**



**ABBRAISIVE SUPPLY CO. Blast Cabinet**



**NOVATECH** Vacuum Loader



**21 AVAILABLE**

View of Dryers



**43 AVAILABLE**

View of Temperature Controllers



**GRANUTEC** Model IFG1212 Granulator

### TOOLROOM

- **SHELDON** Model 15 Lathe, Steady Rest, Tail Stock
- **HARDINGE** Model HLV-H Lathe, Dovetail Bed, Acu-Rite DRO
- **ABRASIVE SUPPLY CO.** Model 6060 Blast Cabinet, Includes Dust Collector
- **SUNNEN** Model MBB-1600 Honing Machine, s/n 45440
- **CHICAGO** 8' Manual Apron Brake
- **DRIES & KRUMP** 4' Leaf Brake
- **GLENDO** Series II Hone/Grinder, s/n AF292
- **DO ALL** Model ML Vertical Band Saw, s/n 5115659, With Blade Welder
- **JET** Model JTAS-10-3, 10" Table Saw, s/n 710522
- **DELTA** Model MPH Radial Arm Saw
- **ELLIS** Model 1600 Horizontal Band Saw, s/n 16011612
- **KEARNY & TRECKER** Model 2 Horizontal Milling Machine, 8" x 41" Table
- **MHMC** Model Gorton O-16 Vertical Milling Machine
- **HECK** Model BB27 Bevel Mill
- **ROCKWELL** Model 15-655 Drill Press
- **EDLUND** Drill Press
- **RIGID** Model 400 Pipe Threader
- **OSTER** Model 552 Pipe and Bolt Machine
- **FEDERAL** Model R7-12M Spot Welder
- **MILLER** Model Dynasty 200 Tig Welder
- **RED DEVIL** Paint Shaker

### MIXERS

- **(3) NOVATECH** Model AFCB-2 Mixers, With Kice Dedusters
- **NOVATECH** Vacuum Loader, With Novatech Model NPH Hopper, Novatech Regrinder and Novatech Model MPC-300 Blower/Dryer

### DRYERS

- **(10) NOVATECH** Model MDM-25 Dryers
- **(9) NOVATECH** Model MD-25 Dryers
- **NOVATECH** Model MPC-300 Dryer
- **NOVATECH** Model MD-15 Dryer

### GRANULATORS

- **IMS** Model MP-187-SC Granulator
- **GRANUTEC** Model TFG1212-10 Granulator

### ROBOTS

- **(12) STERLTECH** Model SS550 Robots
- **(3) STERLTECH** Model SS500, Robots
- **(2) STERLTECH** SR-ST-550 Robots
- **(2) STERLTECH** Model S-550, Robots
- **STERLTECH** Model ST550, Robot
- **APEX** Robots

### MOLD TEMP CONTROLLERS

- **(16) STERLTECH** Model M8410-AX Mold Temperature Controllers
- **(13) AQUATHERM** Model RA090803 Mold Temperature Controllers
- **(7) STERLTECH** Model M9410-AX Mold Temperature Controllers
- **(6) STERLTECH** Model M2B2010-C Mold Temperature Controllers
- **STERLTECH** Model M29412-ACZ Mold Temperature Controller

### CONVEYORS

- **(12) CRIZAF** Conveyor Systems, 11"x59"
- **(10) CRIZAF** Conveyor Systems, 24"x7'
- **(6) CRIZAF** Conveyor Systems, 16"x6"
- **CRIZAF** Conveyor System, 11"x54"

### AUTOMATED ASSEMBLY EQUIPMENT

- *Including:* **(3) YAMAHA** Model YP340X Robots, Yamaha Model QRCH Robot, Yamaha Model RCX40 Robot, Cam Dial, Blk Load Tray System Timer Assembly, A, B, C and D-back Timer Assembly Machines, MTR Load Tray Timer, A, B and C-Front Timer Assembly Machine, Cam Tray Dial, Delta Leveler Assembly Machine, Ionizers and Delta Test Conveyor

**ONLINE BIDDING AVAILABLE, REGISTER AT [WWW.BIDSPOTTER.COM](http://WWW.BIDSPOTTER.COM)**



**20 AVAILABLE**

View of Robots



**29 AVAILABLE**

View of Conveyors



View of Assembly Equipment



**YALE** 6,000 lb. cap. Forklift



**KALMAR** 4,500 lb. cap. Forklift



1 Ton Jib Crane

### MATERIAL HANDLING

- **CHEVY** S-10 Pickup truck, year 1999, approx 51,000 miles, vin 1GCCS1449X8138691
- **YALE** 6,000 lb. Forklift, Model GP060TF-NUA6087, s/n N855847, Propane, 5458 hours
- **KALMAR** 4,500 lb. Forklift, Model C50BXPS, s/n 562036A, Propane, 5684 hours
- **KALMAR** 4,500 lb. Forklift, Model C50BXPS, s/n 563686A, Propane
- **YALE** 3,000lb Forklift, Model GLP030BFN-VAE084, s/n A810N01608S, Propane
- **(2) CROWN** 4,000 lb. Walk Behind Forklift, Model 40GPW-4-14, s/n 7A119710 and 7A105872, Electric
- **CROWN** 2,000 lb. Walk Behind Forklift, Model 20MT Reach, s/n 1A114032, Electric
- **BIG JOE** 2,000 lb. Walk Behind Forklift, Model PDI-20-A5, s/n 353399, Electric
- **CROWN** 1,500 lb. Walk Behind Forklift, Model WT-110, s/n A-318, Electric
- **BIG JOE** 1,000 lb. Walk Behind Forklift, Model 1018-A6, s/n 343740, Electric

- **CAT** 300 lb. Man lift, Model XLT-CAT-15, s/n 14001-22FRFOU
- **(3) PRESTO** Lift Tables
- **WRANGLER** 27" Floor Scrubber
- **APPROXIMATELY (13)** 1-Ton Overhead Hoists, **(2)** 2-Ton Overhead Hoists and **(1)** ¼-Ton Overhead Hoists

### GENERAL EQUIPMENT

- **TITAN** 30 Ton Central Chiller, Dual Pumps, Backup Pumps, 480V
- **THERMAL CARE** 150 Ton Cooling Tower, Dual System, Backup Pumps, 6,000 Gallon Tank, Pressure Control System
- **GRIEVE** Model CBH-350, Electric Oven, Max Temp 350 Degrees Fahrenheit, 3 Phase
- **FPI SYSTEMS** Model F3147-CW, Parts Washer, s/n F3147-1
- **PLASTI-QUIP** flow through bins, 20 cubic feet and 30 cubic feet
- Roll-off box, 23' scrap metal hopper
- **NOBLES IND** Model 9263-12-3, Dryer

- **(2) BOCHI** Model 116, Coil Winders
- Multipress 3-Ton Hydraulic Press
- **(2) STAR AUTOMATION** Model CY-800FB, Robots
- **STAR AUTOMATION** Model XQ-600F, Robot
- **NATIONAL RIVET MFG CO.** Rivet Machine
- **WEBER** Motor testers
- **MAGNETIZER FLUX** meter chassis
- **(9) MYACHI** Weld Controllers
- Diesel Generator
- **APPROX. (36) KENNEDY** Portable Cabinets
- **LARGE QUANTITY** of Flammable Cabinets, Tool Boxes, Hand Tools, Welding Equipment, Portable Shop Carts, Racking, Copper Spools, Ladders, Granite Surface Plates, Floor Scales and Digital Force Gauges, Motors, Transformers, Work benches, Pallet Jacks and much more
- **QUANTITY** of Office Equipment to include Desks, Chairs, Cubicles, Fax Machines, Overhead Projectors, (2) OCE Blueprint Plotters, Kronos Workforce TK V5 Time Keeping System, Lucent Definity Prologix G3V2 Phone System

**FOR SALE | 3405 W SR 28, Frankfort, IN 46041**



### EXCELLENT MANUFACTURING BUILDING

- 190,000 (Expandable)
- Fully Sprinklered
- 6 Docks
- 15' to Ceiling, 12' to Joists
- Air Conditioned
- 1 Drive-In
- Heavy Power
- 13,000 SF Office
- 38 Acres

For additional information visit: <http://property.cassidyurley.com/3405WestSR28>  
[www.ClintonCountyEconomicDevelopment.com](http://www.ClintonCountyEconomicDevelopment.com)



**TITAN** 30 Ton Chiller



**GRIEVE** Model CBH-350 Oven

**COMPLETE TIMER MANUFACTURING FACILITY**

# WEBCAST / ONSITE AUCTION

**WED, DEC 14/11**  
**10AM EST**

**3405 W SR 28 | FRANKFORT, IN**

PREVIEW: TUES, DEC. 13 FROM 9AM-4PM  
OR BY APPOINTMENT

**NIDEC MOTOR  
CORPORATION**

**FEATURING OVER 45  
CINCINNATI MILACRON  
& VAN DORN INJECTION  
MOLDERS AS NEW AS 1998  
AND UP TO 220 TONS**



CINCINNATI MILACRON 220 Ton Injection Molder




VAN DORN 170 Ton Injection Molder



CINCINNATI MILACRON 85 Ton Injection Molder

**AUCTION TERMS & CONDITIONS:** PAYMENT: 25% NON-REFUNDABLE DEPOSIT ON AWARD OF BID. BALANCE WITHIN 48 HOURS. PAYMENT IS CASH, CASHIER'S CHECK, CERTIFIED CHECK, WIRE TRANSFER, COMPANY CHECK ONLY IF ACCOMPANIED BY A LETTER FROM YOUR BANK GUARANTEEING AMOUNT OF CHECK FOR DEPOSIT AND/OR PAYMENT IN FULL. NO PERSONAL CHECKS. FULL PAYMENT MUST BE MADE BEFORE REMOVAL OF PURCHASE. **REMOVAL:** LAST DAY OF REMOVAL IS FRIDAY, JANUARY 20, 2012. AND AS FURTHER DEFINED IN THE SALE CATALOGUE. EVERYTHING IS SOLD "AS IS, WHERE IS." ALL SALES FINAL. COST AND RESPONSIBILITY FOR REMOVAL OF PURCHASE REMAINS WITH THE PURCHASER. EVERY EFFORT WILL BE MADE TO FACILITATE REMOVAL. WHILE QUANTITIES AND DESCRIPTIONS ARE BELIEVED TO BE ACCURATE, THE AUCTIONEER, OWNERS OR COUNSEL MAKE NO WARRANTIES OR GUARANTEES EITHER EXPRESSED OR IMPLIED AS TO AUTHENTICITY, GENUINENESS OF, OR DEFECTS IN ANY LOT AND WILL NOT BE HELD RESPONSIBLE FOR ANY ADVERTISING DISCREPANCIES OR INACCURACIES. NO WARRANTIES WHATSOEVER ARE MADE AS TO CONDITION, MERCHANTABILITY OR FITNESS FOR USE OF ANY ITEM. MAY WE SUGGEST YOU TAKE FULL ADVANTAGE OF THE PREVIEW AND INSPECTION PERIOD. **SALE SUBJECT TO ADDITIONS, DELETIONS & PRIOR SALES. PLEASE CHECK AVAILABILITY OF EQUIPMENT. BUYERS PREMIUMS: 15% ON-SITE, 15% ON-LINE**

Indiana Auction License  
#AU19700033



**SITE: 3405 W SR 28 | FRANKFORT, INDIANA**  
**DRIVING FROM INDIANAPOLIS INTL AIRPORT:**

Approximately 58 miles / 1 hour

Head NW on Col. H. Weir Cook Memorial Dr; Slight left onto the ramp to I-70 E; Keep left at the fork to continue toward I-70 E; Keep right at the fork, follow signs for Interstate 465 S/Interstate 74 E; Keep left at the fork, follow signs for I-70 E/I-465 N/I-74 W/Indianapolis and merge onto I-70 E; Take exit 75 to merge onto Sam Jones Expy toward Raymond St; Make a U-turn at Taft Ave; Take the Interstate 465 N/Interstate 74 W ramp; Merge onto I-465 N; Take exit 20 on the left for Interstate 65 N toward Chicago; Merge onto I-65 N; Take exit 158 for IN-28 toward Attica/Frankfort; Turn right onto IN-28 E; Turn right onto S Co Rd 350 W; Turn left, sale site will be on the left.

SALE CONDUCTED BY

**Maynards**  
SINCE 1902

AUCTIONS | LIQUIDATIONS | APPRAISALS

21700 Northwestern Hwy.,  
Suite 1180  
Southfield, MI 48075  
Tel: (248) 569-9781

[www.maynards.com](http://www.maynards.com)

IN CONJUNCTION WITH



[www.biditup.com](http://www.biditup.com)