

LATE-MODEL OIL & GAS EQUIPMENT

LIVE! WEBCAST AUCTION

WED, JULY 26TH 2017 @ 1PM^{EDT}

PREVIEW & INSPECTION: By Appointment Only

EQUIPMENT LOCATED IN:

Texas • Louisiana • Saskatchewan • Alberta



2014



PCI INDUSTRIES High-Pressure Nitrogen Generating Unit

\$3 MILLION REPLACEMENT

2014



MACK Tri-Axle Acid Transport Truck

13 AVAILABLE



Compact Production Plants

2015



MACK Granite 72" Telescoping Flush-By (Less Than 1,000 hrs)

PREVIEW & INSPECTION: By Appointment Only - Contact Mike McIntosh at (416) 242-3560 ext. 232 or MMcintosh@maynards.com

SALE CONDUCTED BY

Maynards

Industries USA LLC SINCE 1902

AUCTIONS | LIQUIDATIONS | APPRAISALS

102-75 International Blvd.,
Toronto ON M9W 6L9
Tel: (416) 242-3560
Fax: (416) 242-5085

www.maynards.com

IN CONJUNCTION WITH



www.biditup.com



BID LIVE, ON-LINE!
Register at www.bidspotter.com

**\$3 MILLION
REPLACEMENT**

2014



PCI INDUSTRIES High-Pressure Nitrogen Generating Unit



**NITROGEN
GENERATION
TRAILER**

- **2014 PCI INDUSTRIES**
Mobile High Pressure Nitrogen Generating Unit, Booster SB 32-44/4000, (2) Cat C-32 1124hp / 838.5 KW Power Sources, Sullair 1350 XH Compressor, SPX Flow-Through Booster, 20 CFM Per Side on Doepker Tri-Axle Trailer, Fully Automated Control Booth (*Approximate Replacement Price: \$3 Million*)

ACID TRANSPORT TRUCK

- **2014 MACK** Tri-Axle Acid Transport Truck, VIN 1M2AX04C2EM019388, p/b Mack Diesel Engine, w/10-Spd Trans., 425/65R22.5 Front and 11R22.5 Rear Tires, 37,116 Miles on Odometer, 4,000-Gallon DOT412 Acid Storage Fiberglass Lined Tank

CEMENT TRUCK

- **2012 INTERNATIONAL** 7600 Tri-Axle Bulk Cement Truck, VIN 1HTWGAZT5CJ609451, p/b Diesel Engine, w/Man. Trans., 385/65R22.5 Front, 11R22.5 & 295/75R22.5 Rear Tires, Tag Axle, 26,159 Miles on Odometer, w/(2) 220-CFT Cement Bulk Tanks, Gardner-Denver Blower/Compressor, Operator's Controls

DUMP TRUCK

- **1989 INTERNATIONAL** 9300, Tandem-Axle Dump Truck, 10-Spd HI-LO Trans., Wheel Base of 585, Dual Fuel Tanks, Dual Stacks, Air Ride, Warren, Inc. Dump Box, Model MSF651-15, 14/16 cu. yd, s/n BC48852, Cat 3406B 14.6L Diesel Engine, 11R24.5 Front Steer Tires, Manual Tarp System

GAS COMPRESSOR UNIT

- **JOY** Gas Compressor Unit, Class-WBJ-12, Max. HP 140 LH, Angle Max. Diesel, Pressure 300psi, Shop #85938, Max. Discharge Pressure 1250psig, Design Pressure 330, MAP HP 100, Bore Size 7½", R.H. Angle, Stroke 7, RPM 700, Max. Rod Load 13,000, Max. HP 150, 8 Cyl. Natural Gas Engine, Radiator & Gauges Skidded, Murphy TTDJ Control Panel, Approx. 19'x8'



MACK Tri-Axle Acid Transport Truck



2007 INTERNATIONAL 7600 Tri-Axle Cement Truck



INTERNATIONAL 9300 T/A Dump Truck

2015



2015 MACK Granite 72' Telescoping Flush-By (Less Than 1,000 hrs)



2013 IHC 5900 SBA Tri-Drive Flush-By



2013 FREIGHTLINER 122SD Tri-Drive Flush-By

(5) LATE-MODEL FLUSH-BY / ROD RIG TRUCKS

- **2013 MACK GRANITE TANDEM 72' TELESCOPING FLUSH-BY TANDEM cw/ALLISON TRANSMISSION TRIPLEX PUMP:** Gardner Denver TEE-F-3X5 Triplex Pump, Standard 6" Suction Manifold, 3" Gear Type Feeder Pump (Hydraulic Driven), 5000 psi High Pressure Manifold // DRIVE LINE: 8 Bolt PTO, 6 Bolt PTO, 450 hp Split Box w/Flanges & Air Shift Kit // Tandem Hydraulic Pump, Single Hydraulic Pump, (2) Rear Leveling Jacks cw/ Jack Sands, (2) Mast Raising Rams cw/Flow Controls, (1) Scoping Mast Ram Cylinder, Remote Power Tong & BOP Supply Panel // Pullmaster HL-25 Main Winch cw/Extra Capacity, Pullmaster TL-5 Auxiliary Winch // MAST: SS Rig 72' Telescoping Mast, 50,000 lb / 22,300 daN Vertical Static Hook Load Manufacture 4F Specifications, cw/Rod Transfer Assembly, Ladder Assembly // TANK: Aluminum Flush-by Tank, 10,000 L 2-Compartment, TC406 Crude Specification, Heavy Duty Fenders & Anti Sail Brackets
- **2015 IHC 5900SBA TRI-DRIVE FLUSH-BY-UNIT** Cummins Model ISX15 500hp Engine, Eaton Model 8LL 10-Speed Transmission, 69,000 lb. Rear Axles, 94,296 kms, 4,920 Engine Hrs, 2010 PTO Hrs., 14,600 lb Front Axle, 425/64R22.5 Front Tires on Aluminum Wheels, New Way Air Ride Suspension, 50 ft. Nominal Height Mast, Free Standing, Pull Master Model HL-25 Working Winch, Pull Master Model PL-5 Cat Line Winch, 3x5 Gardner Denver Model PE5Y Triplex Pump, 5000 psi, 1997 Wabash 10m³ Tank, TC 306 Crude Spec, Fassi Model M30A.13 Folding Crane, Weight Indicator, Plumbed at the Rear for BOP's & Tongs, Finch Model 5332 Level Monitors; s/n 3HTNWAPT4FN071764
- **(3) 2013 FREIGHTLINER 122 SD Tri-Drive Flush-By-Units,** Detroit Model DD15 Engine, Eaton 18-Speed Transmission, 188,773 kms, 11,168 Engine Hrs., 20,000 lb. Front Axle, Aluminum Wheels, 54 ft. Height Mast, Free Standing, Slant Capabilities, Rod Board, Pull Master Model HL-25 Working Winch, Pull Master Model PL-5 Cat Line Winch, Drop box, PTO, 4" Hydraulic Drive Load Pump, 3x5 Gardner Denver Model Tee Triplex Pump, 5000 psi, 2012 Innocar Ind., 2 Compartment Aluminum Tank, Fassi Model M30A.13 Folding Crane, Plumbed at the Rear for BOP's & Tongs, Finch 5332 Level Monitors; s/n 1FVPGNDR4DDBY8186, s/n 1FVPGNDR8DBN7667, s/n 1FVPGNDR2DDBY8185

COMPACT PRODUCTION PLANTS

- **(4) 2005-2006 Compact Production Plant,** Max. Allowed Working Pressure is 1,440psi, M.A.W., (1) Flameco 750,000 MBTU Line Heater, (1) 125,000 MBTU Line Heater, .656 Shell Thickness, 20"x10" - 2-Phase Separator, Flameco Arrested Burners w/Mallard Controls, Stainless Steel Pressure Safety Valves, incl. Reclaim Tower, Unit Mounted to Metal Platform, Approx. 10' W x 20' L
- **(9) 2004-2007 Compact Production Plant,** M.A.W. with (1) 750,000 MBTU Line Heater, and (1) 125,000 Flameco MBTU Line Heater, w/(3) Separating Tanks, Gauges, Skidded 10' L x 20' D, Flameco Arrested Burners w/Mallard Controls, incl. Reclaim Tower, Max. Allowed Working Pressure is 1440psi, .656 Shell Thickness, 20"x10" - 2-Phase Separator, Stainless Steel Pressure Safety Valves, Unit Mounted to Metal Platform, Approx. 10' W x 20' L

WELL PUMP

- **LUFKIN Well Pump,** ARI Size 160D, Gear Ratio 28.67, HP 205-33.2, Gear Torque Rating 160,000, s/n 364, incl. Structure Size TC33TAPI Safe Load cap., Designation #TC.33T.22G, API Size 160D, Order #11695, M.P. at 20 S.M. 33.2, Gear Ratio 28.67, Peak Torque Rating in lbs. at 20psi is 160,000, s/n 36AU, incl. Lufkin Pumping Unit Structure, Structure Size TC33T, APF Safe Load Capability 17,000 lb., Max. Polish Rod Stroke INS 54.4, Max. Counter Balance at Max. Stroke lbs. 8-140, Galvanized Stairs, and (1) Arrow Engine Company C66 w/Arrow 51-66 Manual Trans., w/Low Hours, 13hp, RPM 350 Min., Max. 700, 195 cu. in., 3.3 Liter, Model C66, Drive Motor for Pump

CAB OVER SEMI w/RV RIG

- **1993 FREIGHTLINER Cab Over Semi w/Attached Tandem-Axle RV Rig,** Detroit Series 60 Diesel Engine, 8' W x 23' L Living Quarters (incl. Microwave, Stove, Tile Floor, Kitchen Cabinets, Sink, Toilet and Shower Room), Also incl. with Piggy Back T/A Box Trailer, Attached 8½' W x 34' L Box Trailer w/Tool Room, Pup Trailer w/Power Gear, Hydraulic Booster Valves, Level Valves, 887,182 Miles, Fuller 10-Speed Transmission, Dual Fuel Tanks, Single Stack, Trailer Mounted to Semi is Approx. 21' L, VIN 1FVNACXB0PH496705



JOY Gas Compressor Unit



Compact Production Plants

13 AVAILABLE

LATE-MODEL OIL & GAS EQUIPMENT

LIVE! WEBCAST AUCTION



WED, JULY 26TH 2017
@ 1PM^{EDT}

PREVIEW & INSPECTION: By Appointment Only
Contact Mike Mcintosh at (416) 242-3560 or MMcintosh@maynards.com

EQUIPMENT LOCATED IN

Lubbock, Texas • Dequincy, Louisiana
Carlyle, Saskatchewan
Lloydminster, Alberta



PCI INDUSTRIES High-Pressure Nitrogen Generating Unit



2015
MACK Granite Flush-By



2014
MACK Tri-Axle Acid Transport Truck



INTERNATIONAL 7600 Cement Truck



1 of 13
Compact Production Plants

TERMS & CONDITIONS | **PAYMENT:** 25% NON-REFUNDABLE DEPOSIT ON AWARD OF BID, BALANCE WITHIN 24 HOURS. PAYMENT IS CASH, CASHIER'S CHECK, CERTIFIED CHECK, WIRE TRANSFER, COMPANY CHECK ONLY IF ACCOMPANIED BY A LETTER FROM YOUR BANK GUARANTEEING AMOUNT OF CHECK FOR DEPOSIT AND/OR PAYMENT IN FULL. NO PERSONAL CHECKS. FULL PAYMENT MUST BE MADE BEFORE REMOVAL OF PURCHASE. **REMOVAL:** LAST DAY OF REMOVAL IS FRIDAY, AUGUST 4, 2017, AND AS FURTHER DEFINED IN THE SALE CATALOGUE. EVERYTHING IS SOLD "AS IS, WHERE IS". ALL SALES FINAL. COST AND RESPONSIBILITY FOR REMOVAL OF PURCHASE REMAINS WITH THE PURCHASER. EVERY EFFORT WILL BE MADE TO FACILITATE REMOVAL. WHILE QUANTITIES AND DESCRIPTIONS ARE BELIEVED TO BE ACCURATE, THE AUCTIONEER, OWNERS OR COUNSEL MAKE NO WARRANTIES OR GUARANTEES EITHER EXPRESSED OR IMPLIED AS TO AUTHENTICITY, GENUINENESS OF, OR DEFECTS IN ANY LOT AND WILL NOT BE HELD RESPONSIBLE FOR ANY ADVERTISING DISCREPANCIES OR INACCURACIES. NO WARRANTIES WHATSOEVER ARE MADE AS TO CONDITION, MERCHANTABILITY OR FITNESS FOR USE OF ANY ITEM. MAY WE SUGGEST YOU TAKE FULL ADVANTAGE OF THE PREVIEW AND INSPECTION PERIOD. **SALE SUBJECT TO ADDITIONS, DELETIONS & PRIOR SALES. PLEASE CHECK AVAILABILITY OF EQUIPMENT.**

★ 18% BUYERS PREMIUM APPLIES TO ALL SALES ★ SALE WILL BE CONDUCTED IN U.S. DOLLARS ★

SALE CONDUCTED BY
Maynards
Industries USA LLC SINCE 1902
AUCTIONS | LIQUIDATIONS | APPRAISALS

102-75 International Blvd.,
Toronto ON M9W 6L9
Tel: (416) 242-3560
Fax: (416) 242-5085

www.maynards.com

IN CONJUNCTION WITH



www.biditup.com



BID LIVE, ON-LINE!
Register at www.bidspotter.com