



Atlas Industries

TIME : Jan 23, 2018 11:00 AM

LOCATION: 1520 County Road 42 *
Gibsonburg, OHIO

TERMS AND CONDITIONS

Feb 2, 2018

Buyers Premium 18 % On-Line

Maynards
SINCE 1902

Industries USA LLC

DETROIT OFFICE
21700 Northwestern Hwy.
Suite 1180
Southfield MI 48075-4923
Ph: (248) 569-9781
Fax: (248) 569-9793

www.maynards.com

♦ **Assets formerly of Martinrea Hot Stampings
Upcoming**

2005 Isgec 1200 Ton Hot Stamping Press, Obi & Straight
Side Presses to 1600 Ton, (9) Trumpf Laser Cells, CNC
Turning & Milling, CMMs, Tool Room & Plant Support
Equipment.

Location : Detroit, MICHIGAN

Contact : Mario Mazzuca 248-569-9781

♦ **James Higby Engineering**

Jan 24, 2018 10:00 AM

CNC Turret Punch, Presses, Vertical Mills, Lathe, Saws,
Surface Grinders, Forklifts, CNC Wire Edm, CMM & All
Plant Support Assets

Location : San Fernando, CALIFORNIA

Contact : Taso Sofikitis

♦ **GM Holden Robot Tender Sale**

Jan 26, 2018 01:00 AM

Tender Sale of more than 400 Robots

Location : Adelaide, South Australia

Contact : Daniel Kroeger 8151-973420

♦ **Blue Bird Contracting Services**

Feb 15, 2018 10:00 AM

Blue Bird Contracting Services (a division of Trotter &
Morton Limited) - Late Model Construction Equipment

Location : Acheson (Edmonton), ALBERTA

Contact : Mike McIntosh 905-469-8436

♦ **Pesco Mold & Engineering**

Feb 22, 2018 10:00 AM

Late Model well maintained as new as 2013 Mitsubishi, Haas
and Fidia CNC Machining Centers

Location : Utica, MICHIGAN

Contact : Matt Gossett 248-569-9781

♦ **Ledvance**

Feb 27, 2018 10:00 AM

Surplus Assets of Ledvance , a World-Wide Leader in
Lighting Products

Location : Winchester, KENTUCKY

Contact : Mario Mazzuca 248-569-9781

♦ **Sears Canada Inc - Belleville**

Mar 01, 2018 10:00 AM

Mobile and Warehousing Equipment from Sears Canada
Distribution Centers

Location : Belleville, ONTARIO

Contact : Mike McIntosh 905-469-8436

1	(3) Electric Power Tools, (1) Milwaukee 6266 Jig Saw, (1) Craftsman 315.17215 Jig Saw, and (1) Black & Decker 3207 18 Gauge Swivel Head Shear				LS3000B Refrigerant Leak Detector, (1) Rolling Supply Table with Assorted Supplies
2	(2) Electric Drills, (1) Hitachi DV-20V2 Hammer Drill, (1) Black & Decker 1321 1/2" HD Drill with Assorted Hammer Drill Bits		19		Milwaukee 4034 Concrete Core Drill, with 4114 Vac-U-Rig Stand and (2) Core Drill Bits,
3	(3) Pneumatic Nailers/ Stapler, (1) Paslode P275C Nailer, (1) Bostitch BT 200 Brad Nailer, (1) Paslode 91144 Stapler		20		Assorted Concrete Form Accessories , to Include (1) Basket of Ply Lock Waler Brackets, Wall Ties, etc
4	(3) Spray Guns, (1) Graco Contractor 2 Airless Gun and Hose Kit, (1) APC Gravity Feed HVLP Spray Gun, (1) High Production Spray Gun and (1) National Detroit Orbital Sander		21		Grounds Keeping Equipment, to Include Post Hole Diggers, Shovels, and Wheel Barrow
5	Sanborn Portable Compressed Air Tank, 120 Max PSI		22		Ingersoll Rand Pneumatic Jack Hammer
6	Arrow Electric TR-550 Hot Glue Gun, with Heavy Duty Heat Gun		23		Honda GX390 Gas Engine
7	(4) Electric Power Tools, (1) Skil 6225 3/8" Drill, (1) Black & Decker 5072 1/2" Hammer Drill, (1) Black & Decker 2054 Type 101 Drill, (1) Dumore 10-251 Hand Grinder with Assorted Drill Bits		24		Dayton 3W738C 6000 Watt Gas Generator , 120/240V, 59Hrs.
8	(2) Cordless Drills, (1) DeWalt DW945 3/8" Drill with (2) 12V Batteries and Charger , (1) Makita 6012HD 3/8" Drill with (2) 9.6V Batteries and Charger and (1) Stack-On Tool Box		25		(2) Dual Lamp Work Lights , with (3) QH 815 Mini Work Lamps
9	Assorted Inspection Equipment, (1) Aerospace 12" Vernier Height Gauge, (2) Amprobe Voltage Testers, (1) Amprobe ULD-100 Ultrasonic Leak Detector and (1) ExTech 401021 Light Adapter		26		Pacer Pumps SE20L E5CP 5HP Gas Powered Pump, with (1) Little Giant 9SN-CIM Sewage Pump with RS-5 Remote Switch, and (1) Unknown Sub-Pump
10	82"x48" Peg Board with Assorted Tools, to Include Clamps, Wire Strippers, Wire Brushes, Saws, Etc.		27		1HP Portable Dust Collector, 110V
11	Black & Decker 3091 1 S/N 85020781 10" Compound Miter Saw, 5300RPM, 120V		28		Little Wonder Optimax 8HP Gas Powered Blower, with Briggs & Stratton 1350 Intek Series Engine
12	Delta 36-220 Type III S/N 9731 10" Compound Miter Saw, 4900RPM, 120V		29		(2) Heaters, (1) Ready Heater R50 50,000 BTU Kerosene Torpedo Heater, (1) LB White 330 400,000 BTU Propane Heater with 2 Blowers
13	Craftsman 25457 Router Table, with Router Lettering Template Set		30		Shop•Vac (2) Industrial Vacuums, (1) 5HP 12 Gallon, (1) 1.75HP 6 Gallon
14	Large Assortment of Hole Saws, Self-Feed Bits, and Drill Bits		31		921 (2) Oily Waste Rag Containers
15	Surveying Equipment, (1) Laser Beacon 3920 Laser Level with Rod-Eye and Adjustable Height Tri Pod, (1) David White Theodolite Trio Pod and Telescoping Height Stick		32		Lawn Care Equipment, (1) Honda HR216 Push Lawn Mower, (1) Troy-BiIt TB25CS Weed Eater, and (1) Stihl 008 Chainsaw
16	(5) Heavy Duty Pipe/Conduit Benders, (1) 1" Ridgid Cap, (3) 3/4" Ridgid Cap, (1) 1/2" Cap		33		Table of Assorted PPE, to Include Safety Harnesses, Lanyards, Rope, Rain Gear, Hard Hats, ETC
17	(5) Heavy Duty Pipe/Conduit Benders, (1) 1" Ridgid Cap, (1) 3/4" Ridgid Cap, (1) 1/2" Ridgid Cap, (1) 1/2" EMT Cap, (1) 1/2-3/4 Tiger Grip		34		Blue Point 7" Double End Pedestal Grinder, 1/2HP 3460RPM 110V
18	HVAC Equipment and Supplies, To Include (1) Yellow Jacket 69075 Full Range SuperEvac LCD Vacuum Gauge, (1) Yellow Jacket Test and Charging Manifold , (1) Appion G5 Twin Refrigerant Recovery Unit, (1) JB DV-6E 6CFM Vacuum Pump, (1) Spectroline OPK-50EZ/ E Leak Detention Kit, (1) Bacharach HT 278 Flaring, Swaging, & Cutting Tool Kit, (1) Inficon Wey-Tek 220Lbs. Cap. Refrigerant Charging Scale, (1) CPS		35		1991 Invicta Delta 22460 S/N 3468 20" Plainer, 230V 3PH
			36		Grob Brothers NS18 S/N 1167 Vertical Bandsaw, 18" Throat, 24"x24" Table, with Bandsaw Blade Welder, 240V 3PH
			37		Samco MK S/N 840687 Shaper, with Delta Stock Feeder, 2HP 230V 3PH
			38		Delta Milwaukee Multiplex 40-A S/N MJ4797 12" Radial Arm Saw, with 20" Arm and 17"x19" Cutting Table with 8' Fence, 1.5HP 220V 3PH
			39		(2) Steel Adjustable Height Saw Horses, with (4) Wood Saw Horses
			40		2 Door Storage Cabinet, with Assorted Contents
			41		DoAll 2 Door Storage Cabinet, with Assorted Saw Blades
			42		Adjustable Racking with Assorted Contents, to Include Assorted Pipe Fittings, Screws, Spools of Wire, Ball Valves, Etc
			43		Air Technologies Boss 10 S/N 208/230/460V 3PH 10HP Air Compressor , with 120 Gal Tank 175 Max PSI, 37.6 SCFM, 208/230/460V 3PH
			44		Associate Engineering 13GR30HK30-0059 S/N 07051389 13HP Gas Powered Air Compressor, with Honda GX390 Engine, and Air Tank Mounted to Metal

45	Platform	75	6" Single End Grinder, 440V, 3PH
46	Open	76	(2) Pneumatic Wet/Dry Vacuums
47	(3) 4 Wheel Platform Carts, 60"x36"	77	ATD ATD8402 Sand Blaster, 90-100lbs. Cap, 125 PSI Working Pressure
48	Datsun CFG105-1 S/N CFG105-0549 5,000Lbs Cap LP Fork Truck, with 42" Forks, 130" 2 Stage Mast, 5969Hrs. (Delayed Pickup)	78	Clemo 1042 Sand Blaster, 1 CuFt Cap.
49	Shop Built Asphalt/ Tar Heating and Application Units, with Hose and Tar Brushes	79	Clark Mobile Dust Collector, 120V
50	Palmgren 8" Machine Vise	80	FlexArm (4) Articulating Tool Holder, with (2) Pneumatic Drivers
51	6" Machine Vise	81	24"x18" Precision Steel Surface Plate
52	Heinrich 8" Machine Vise	82	(7) Precision Steel Surface Plates, Assorted Sizes
53	8"x20" Magnetic Chuck	83	Collins MicroFlat Granite Surface Table, A Grade, 24"x36"x2 3/4" with 12 1/2"x18 1/2"x4" Granite Surface Plate
54	Magna-Lock HMF612 6"x12" Magnetic Chuck	84	Granite Surface Table, A Grade, 48"x72" x10 1/4" with T-Slotted Groove
55	(2) 4" Benchtop Vises, (1) Wilton Bullet Vise, (1) No.140 Vise Mounted to Rolling Work Table	85	Open
56	Optima Drill Sharpening Grinder, 3200RPM, 110V, with Assorted Collets and Accessories	86	Open
57	Black Diamond Drill Sharpening Grinder, 118V with (2) Supply Cabinets	87	Granite Surface Table, B Grade, 24"x36" x4 1/4"
58	Black Diamond 3B Drill Sharpening Grinder, 1/3HP, 3400RPM, 115V with Metal Stand	88	Granite Surface Table, B Grade, 24"x24" x4 1/2"
59	Drill Sharpening Grinder, 1/3HP, 3450RPM, 115V with Metal Stand	89	Granite Surface Plate, B Grade, 18"x24"x2 1/2"
60	Dayton 2Z425S 6" Double End Benchtop Grinder, 1/4HP, 3450RPM, 115V with Metal Stand	90	Granite Surface Plate, B Grade, 18"x18"x2 "
61	Sheffield 10,000 Benchtop Visual Comparator	91	Open
62	Leco LSM 250M1 S/N 1001 Sample Saw, 1000-3000RPM, 230V 3PH	92	Demagnetizer , 6"x6" Window with 5" Belt Conveyor and Table
63	National Supply Co. D 13 Lapping Machine, 6 1/4" Throat, (Motor not Operational)	93	1997 Magnus MIJI-LIF Open Top Parts Washer, 18"x30"x16" Washing Chamber, 3HP Pumping Unit, 460V, 3PH
64	Greenerd No.3 Pedestal Arbor Press, 6" Throat, 12" Stroke	94	1997 Magnus MIJI-LIF Open Top Parts Washer, 18"x30"x16" Washing Chamber, 3HP Pumping Unit, 460V, 3PH
65	Delta 17-900 S/N W9829 16 1/2" Drill Press, 8 1/4" Throat, 12"x12" Table, 4" Stroke, 250-3000RPM (Motor not Operational)	95	Slant Top Parts Washer, 18"x16" Opening, 2HP Pumping Unit, 208-230/460V, 3PH
66	Cincinnati GPOA103-S 8" Double End Pedestal Grinder, 1HP, 1750RPM, 220V, 3PH	96	Slant Top Parts Washer, 18"x16" Opening, 2HP Pumping Unit, 208-230/460V, 3PH
67	Dayton 3Z848 Blast Cabinet, 16"x18"x16" Chamber	97	WF Wells and Sons W-9 S/N 84396 Horizontal Bandsaw, 9" Cap, Manual Material Clamp, 3PH
68	Black Diamond 3A S/N 13324 Drill Sharpening Grinder, 1/3HP, 3400RPM, 115V with Metal Stand	98	Wells 1200 S/N 842 Horizontal Bandsaw, 12" Cap, Hydraulic Material Clamp, 3PH
69	Darex Drill Sharpening Grinder, 1/3HP, 3450RPM, 115V with Metal Stand	99	WF Wells and Sons D Horizontal Bandsaw, 14" Cap, 220V 3PH
70	6" Single End Grinder, 1/2HP, 1725RPM, 208-220/440V, 3PH	100	Grob Brothers S24 S/N 590 Vertical Bandsaw, 24" Throat, 24"x28" Table with 19"x18" Extension, 50-2030FPM Blade Speed, Bandsaw Blade Welder, 220V, 3PH
71	Dayton 4Z910B S/N 9708 8" Double End Pedestal Grinder, 3/4HP, 3450RPM, 220/440V, 3PH	101	48" Metal Brake, with 16" Plate Roller
72	Leeson 8" Single End Pedestal Grinder, 2HP, 3490RPM, 230/460V, 3PH	102	Kent-Owens 1-V S/N 1V11 Rise and Fall Horizontal Milling Machine, 5 1/2"x21" T Slotted Table
73	Dayton 3N443BA 8" Single End Pedestal Grinder, 3HP, 230/460V, 3PH	103	Kent-Owens 1-V S/N 1V74 Rise and Fall Horizontal Milling Machine, 5 1/2"x28" T Slotted Table
74	Dayton 6" Double End Benchtop Grinder, 3/4HP, 3450RPM, 220/440V, 3PH with AAF Type D Roto. -Clone Dust Collector	104	DoAll D-8 Surface Grinder, 9" Grinding Wheel, 24"x8 1/2" Magnetic Chuck
75	Baldor 6" Single End Grinder, 1.5HP, 3450/1725RPM, 460V, 3PH	105	Thompson S/N B32367 Surface Grinder, 10" Grinding Wheel, 12"x30" T Slotted Table, 6 1/2"x18 1/4"
		106	Cincinnati Cinova 80 205-12 S/N 10J2V5M-6 Vertical Milling Machine, 48" x 7 1/2" T Slotted Table, 10" Saddle Travel , 28" Table Travel, 12" Knee Travel, 25-2000RPM Spindle Speed, 208V 3PH
		107	Porter Cable Polishing Lathe, 18" Swing,

	8" Between Centers				Stroke, 22"x22" T Slotted Table
108	Hammond C41205081 S/N J-3490-3 4" Belt Sander, 1400 Spindle RPM, 5HP, 220/ 440V	_____	130		Eldorado Tool M7428 S/N 1178 Single Spindle Gun Drill, Approximately 18" Stroke, 22"x22" T Slotted Table
109	Kent-Owens 1-8 S/N 1-8-645 Rise and Fall Horizontal Milling Machine, 5 1/2"x28 " T Slotted Table	_____	131		Eldorado Tool M3519 2A S/N 1198 High Pressure Coolant System, 150 Gal Cap. 460V
110	Kent-Owens 1-14 S/N 1-14-74 Rise and Fall Horizontal Milling Machine, 5 1/2"x28 " T Slotted Table	_____	132		Barber-Colman No. 12 Type A S/N 940 Gear Hobbing Machine, Remanufactured 1998, with Vertical Feed Attachment
111	Kent-Owens 2-20 S/N 2-20-1036 Rise and Fall Horizontal Milling Machine, 7 1/2" x35" T Slotted Table	_____	133		Barber-Colman No. 3 S/N 3825 Gear Hobbing Machine, Remanufactured 1998
112	Warner&Swasey No. 12 M-2140 S/N 1167206 Taping and Threading Machine, 15" Throat, 12"x17" Table, 5 1/4" Stroke, 8 -1439RPM Spindle Speed, 5HP 220V	_____	134		Footburt-Hammond 287 S/N 1392 Articulating Radial Arm Drill, 54" Articulating Arm, 6" Stroke, 34"x48" Bed, 95-1140 RPM Spindle Speed
113	12" Abrasive Chop Saw, with 6" Machine Vise and Extra Cut Off Wheels, 2HP, 220/ 440V, 3PH	_____	135		Barber-Colman No. 12 Type A Gear Hobbing Machine, (No Control Cabinet)
114	Kent-Owens 1-8 S/N 1-8-387 Rise and Fall Horizontal Milling Machine, 5 1/2"x21 " T Slotted Table	_____	136		Barber-Colman No. 12 Type A Gear Hobbing Machine
115	Kent-Owens 1-M S/N 1-M-106 Rise and Fall Horizontal Milling Machine, 5 1/2"x21 " T Slotted Table with Pneumatic Cylinder Actuated Part Fixture	_____	137		DeHoff B2-12-D S/N DH1236 Twin Spindle Gun Drill, Approximately 12" Stroke, (2) 19"x7" T Slotted Tables, 440V
116	Fox S/N 1649 Hydraulic C Press, 9" Throat , 16" Max Daylight, 12"x80" Table, 4"x7" Window	_____	138		Fraser Automation Centromatic 500 S/N A505 Automatic Facing and Centering Machine, 0.25"-4.38" Diameter Cap, 1.5"- 36" Length Cap, with Dual 7.5HP Powerheads, 1.25" Quill Stroke, 20HP Hydraulic Unit
117	Gisholt 1SV1 S/N 2782X19 Two Plane Balancer, with Overhead Drill Unit, Balmag Model 743 Digital Readout	_____	139		Harig Super 618 Surface Grinder, 6"x18" Cap
118	Oliver HAFMG S/N 246 Tool Sharpener, 440V, 3PH	_____	140		Rev-Line TS-1539 Twin Spindle Gun Drill , Approximately 12" Stroke, (2) 10"x10.5" Table with Parts Clamps, with High Pressure Coolant and Filtration System with Chemaperm Magnetics Magnetic Chip Conveyor
119	Oliver 41 S/N 1194 Tool Sharpener, 440V, 3PH	_____	141		Open
120	Pratt&Whitney S/N 7207 Tool Sharpener, 440V, 3PH	_____	142		Dietrick Sales and Services MCV28-38 Micro-Vac Filtration Unit, 40 GPM Cap, 38"x250 Yards Filter Media
121	Cleveland Grinding Machine Surface Grinder, 6"x18" Electromagnetic Chuck, 1.25HP, 440V	_____	143		Hydromation MVC S/N 8-5717 Micro- Vac Filtration Unit, 15-90 GPM Cap, 38" Filter Media
122	K.O. Lee A600 S/N 2057 Tool Sharpener, 440V, 3PH	_____	144		Parts Washer, 42"x25"x35" Chamber with 40"x22" Parts Platform
123	Burgmaster Houdaille 2192177 S/N 85714 Multi-Spindle Drill and Tapping Press, 6 Spindles with Cross Feed Table and Clamp	_____	145		1991 Toyota GL 4A-100 S/N RC3176 Angle Head Cylindrical Grinder, 40" Between Centers, 12 1/2" Swing, with GC3Z Controls, Head and Tail Stock
124	Bowser Lapping Machine, 5" Throat, 480V	_____	146		Apex Lot 4"S S/N MD3971 Twin Column Hydraulic Broach Machine, 10 Ton x 4" Cap with 8 Unit Tool Rotary Table and 20HP Hydraulic Power Unit
125	Beaver Machine VBRP S/N 3041 Vertical Milling Machine, 10"x56" T Slotted Table, Dayton SCR Controller, 18" Saddle Travel , 34" Table Travel, 18" Knee Travel, 4" Stroke, Acu-Rite 5 Digital Readout	_____	147		Landis Type R S/N 730-6 Plain Cylindrical Grinder, 36" Between Centers, 10" Swing with Landis Micro-Swivel Headstock, Control Gaging 852 Display, Hydraulic Power Unit, and 75KVA Transformer
126	Open	_____	148		Prince 6075 S/N 1354 Plain Cylindrical Grinder, 42" Between Centers, 14" Swing with Head and Tailstock
127	DeHoff DH2 S/N DH1444 Twin Spindle Gun Drill, Approximately 8" Stroke, (2) 16 1/2"x20" T Slotted Tables, (2) Pneumatic Clamping Fixtures, with Triad Filtration Systems Model 15-250-20 High Pressure Coolant and Filtration System with Eriez Magnetics 510 Magnetic Chip Conveyor	_____	149		1990 Werag CM 111-800 S/N 190-181 Twin Spindle Automatic Facing and Centering Machine, 80-800mm Workpiece Length Cap, 10-120mm Workpiece Diameter Cap, 500-2000RPM Spindle Speed
128	Eldorado Tool M8120 S/N 181 Single Spindle Gun Drill, Approximately 24" Stroke, 20"x 18" T Slotted Table with 14" x12" Riser Table, and (1) Mega flo M8710 High Pressure Coolant System	_____			
129	Eldorado Tool M7428 S/N 1179 Single Spindle Gun Drill, Approximately 18"	_____			

150	Giddings & Lewis-Fraser MC S/N FM748 Double End Milling, Drilling, Chamfering, Boring and Centering Machine, 38" Workpiece Length Cap, 5"-8" Workpiece Diameter Cap, (2) 10HP Milling Heads, (2) 3HP Drilling Heads			(2) 14" Grinding Wheels 7 1/2HP, (Remanufactured 1998)
151	Fraser S/N T1144 Double End Milling, Drilling, Chamfering, Boring and Centering Machine, 60" Workpiece Length Cap, (2) Milling Heads, (2) Drilling Heads		169	Cincinnati 325-12 S/N 6M12H6M-1 Centerless Grinder, Nominal Diameter Capacity 1/2"-3", Max. Diameter Capacity: 6", Min. Grinding Wheel Diameter 16", Max. Grinding Wheel Diameter 24", Max. Grinding Wheel Width: 12", Grinding, Wheel Hole Diameter 12", Min. Regulating Wheel Diameter 10-1/4", Max. Regulating Wheel Diameter 14", Max. Regulating Wheel Width 12", Regulating Wheel Hole Diameter 6" Low Range Wheel Speeds 11-56 rpm, High Range Wheel Speeds 56-300 rpm, Grinding Wheel Motor 25hp, Regulating Wheel Motor 2hp, 440V, 3PH
152	Hansen 15WT2P1CS S/N 4847-2-4 Refrigerated Chiller, 460V			Cincinnati Milacron 3 S/N 3M3H1Y-47 Centerless Grinder, Grinding wheel O.D. maximum 24", Grinding wheel bore 12", Grinding wheel width maximum 10", Grinding wheel speed 1034 RPM, Regulating wheel diameter max 14", Regulating wheel width max 8", Regulating wheel thickness max 4", Regulating wheel speeds 7-60 RPM, 25 HP, 1170 RPM, 460V (Remanufactured 2010)
153	Hansen 15WT2P1CS S/N 4840-2-5 Refrigerated Chiller, 460V			Okuma & Howa ACT 2SP-3 S/N 08375 Twin Spindle Four Axis CNC Turning Center, 410mm Distance Between Spindle Centerlines, 310mm Max Cutting Dia, 210mm Max Cutting Length, 180 mm X Axis Travel, 210mm Z Axis Travel, 35-3500RPM Spindle Speed, with Fanuc OT Controls, (2) Kitagawa 10" 3 Jaw Hydraulic Chuck, (2) 8 Unit Tool Turret, Chip Conveyor
154	ADF Systems 800 S/N 9512-2859 Open Top Parts Washer, with 26" Rotary Parts Table, 460V and (1) 35"x23"x6" Poly Parts Washer		170	Hardinge Cobra 42 S/N C-1081-T CNC Turning Center, MAX. TURNING DIA. 8.25", 7.75" X AXIS Travel, 14" Z AXIS Travel with Fanuc Series 21i-T Controls, 6 1/2" 3 Jaw Hydraulic Chuck, 12 Unit Tool Turret, Tailstock
155	Despatch V-29 S/N 61500 7.6KW Electric Oven, 500°F Max Temp, 36"x24"x36" Chamber with (6) Trays, 440V			Okuma & Howa ACT 2SP-3 S/N 08245 Twin Spindle Four Axis CNC Lathe, 410mm Distance Between Spindle Centerlines, 310mm Max Cutting Dia, 210mm Max Cutting Length, 180 mm X Axis Travel, 210mm Z Axis Travel, 35-3500RPM Spindle Speed, with Fanuc OT Controls, (2) Kitagawa 10" 3 Jaw Hydraulic Chuck, (2) 8 Unit Tool Turret, Chip Conveyor
156	Magnaflux DR-523 S/N 60514 Magnetic Particle Inspection Machine, 600 Continuous Output Amps, 3000 Max Intermittent Output Amps, 220/440V			1987 Mori Seiki ZL-3A S/N 151 2 Axis CNC Turning Center, maximum Working Diameter: (Upper) 13.78", (Lower) 10.63", Swing 20.47", Distance Center to Center: 35.43", Travels: X (Upper) 7.48", (Lower) 5.91", Z 33.46", Spindle Speeds to 4000 RPM, Hole Thru Spindle 3.03" With Fanuc Controls, (2) 8 Unit Tool Turrets, Tail Stock, Turbo Chip Conveyor
157	Jones & Lamson FC-30 S/N E-23296 30" Optical Comparator, with Microstar Genesis Digital Readout		171	Gisholt No 12 Automatic Production Lathe, 12" Swing, with 15" 3 Jaw Chuck, Automag Magnetic Chip Conveyor, 25HP 440V
158	Pratt&Whitney C Engine Head Lathe, 18" Swing, 40" Between Centers, 14-1000 RPM Spindle Speed, with 2 Post Dovetail Tool Holder, 14" Faceplate, 12" 3 Jaw Chuck, 12" 4 Jaw Chuck, 3/4" Jacobs Chuck, Tailstock, and Steady Rest			Landis 10x18 4R S/N 819-21 Angle Head Cylindrical Grinder, 10" Swing, 18" Between Centers, with Head and Tail Stock
159	Place Machine Corp. S/N 14151 Twin Angle Head Drill Press, 13 1/2" Throat, 22 3/4"x56 1/4" Adjustable Height T Slotted Table, Power Feed, 88" Rail, 440V		172	
160	Place Machine Corp. S/N 14152 Twin Angle Head Drill Press, 13 1/2" Throat, 22 3/4"x56 1/4" Adjustable Height T Slotted Table, Power Feed, 88" Rail, 440V			
161	Place Machine Corp. S/N 14150 Twin Angle Head Drill Press, 13 1/2" Throat, 22 3/4"x56 1/4" Adjustable Height T Slotted Table, Power Feed, 88" Rail, 440V		173	
162	Metal Disintegrator, 220/440V			
163	American Broach & Machine Co. T-6-24 S/N 4347 Vertical Broaching Machine, 6 Ton x 24" Cap, 480V with Indexing Head			
164	American Broach & Machine Co. T-6-24 S/N 5991 Vertical Broaching Machine, 6 Ton x 24" Cap, 480V with Indexing Head		174	
165	Partool Hydraulic C Press, 6" Throat, 12" x 9" Adjustable Height Table with 5" Dia. Window, 5HP Hydraulic Power Unit, 440V			
166	Ex-Cello D-B-2112 S/N 11985 Horizontal Boring Machine, 17" Swing, 20 1/2"x 9 1/4" T Slotted Table with Hydraulic Power Feed Fixture, 480V			
167	Norton 10x36CTU S/N 24229-1952 Plain Cylindrical Grinder, 36" Between Centers, 11" Swing with Head and Tailstock, 26" Grinding Wheel, Overhead Dresser, 25HP 440V		175	
168	Warner&Swasey ACC S/N 30711 Angle Head Cylindrical Grinder, 26" Between Centers, 11" Swing, with Head and Tailstock, Allen Bradley 9/Series Controls,		176	
			177	

178	, Wheel Dresser, TCP Quickpanel, Paper Conveyor Filtration Unit, Fanuc Controls Okuma LNC-8C S/N 0811D956 CNC Turning Center, Swing Over Bed Max: 15.75", Turning Diameter Max: 9.84", Turning Length Max, Chuck Work: 9", Turning Length Max, Shaft Work: 19.69", X-Axis Cross Slides Travel Below Centerline 5.12" & 1.77", Z-Axis Carriage Travel: 20.47" with 10" 2 Jaw Hydraulic Chuck, 12 Unit Tool Turret, Tailstock, Okuma OSP-U10L Controls, 220V	191	Electric Hoist, (1) 700Lbs Pneumatic Balance Ingersoll Rand S/N 73577 1000Lbs. Pneumatic Hoist
179	1998 Electropuls P300/600Z S/N 1212417 Plasma Nitride Heat Treat Furnace with Automatic Parts Washing Line, 1400mm Dia. X 2000mm 5000Kg Cap Bell Furnace with Nichrome Elements, Fiberfrax Insulation, 5 Heating Zones, 550°C Max Temp, 100 m3/h Rotary Van Mechanical Pump, 500 m3/h Booster Pump and Down Stream Pressure Control Valve Pumping System, 80Kw Electropuls and 200Kw Solid State Power Supply and Plasma Resistance, Electropuls Temperature and Atmosphere Controllers, Espon Digital/ analog Recorder, TVELTRO Operator Interface, (4) 51" Dia Multi Tier Parts Racks, (1) MTA Chiller, Eltro TWA 663 Washing, Rinsing and Drying Line, 900mm x 900mm x 800mm Working Chamber, (1) 1000L Wash Tank, (1) 1000L Rinse Tank, 80°C Operating Temperature, 250L/Min Pumping System, 400 m3/Hr Drying Fans, Infeed and Outfeed Conveyor, and 600mm x 600mm x 300mm Stainless Steel Wash Baskets\	192	P&H 1000Lbs. Electric Hoist
180	1994 Mazak Ultra 550 S/N 110826 Twin Pallet Horizontal Machining Center, 28.35" X Travel, 25.59" Y Travel, 25.59" Z Travel, 15,000RPM Spindle Speed, (2) 19 3/4"x19 3/4" T Slotted Pallets, 80 Unit Cat 50 Automatic Parts Changer, Mazatrol M-32 Controls, Mayfran Chip Conveyor	193	Crate of Assorted Hoists, Balancers, and Trollies
181	Gisholt No.12H S/N 3099X9 Automatic Production Lathe, 12" 3 Jaw Chuck, 12" Swing, 24" Between Centers, 25HP, 230/460V 3PH	194	Coffing ECT4006 3 10 (2) 1 1/2 Ton Electric Hoists, with Assorted Mounting Brackets
182	Gisholt No.12H S/N 3096X8 Automatic Production Lathe, 12" Swing, 24" Between Centers, 25HP, 230/460V 3PH	195	Yale MER2N10H6S2 (4) 2 Ton Pneumatic Hoists
183	Cincinnati 2-24 S/N 2B3P1Z-13 Rise and Fall Horizontal Milling Machine, 55 1/2" x11" T-Slotted Table, 60-2400RPM Spindle Speed, 440V	196	Yale MER2N10H6S2 (3) 2 Ton Pneumatic Hoists
184	Cincinnati No.2 S/N 4A2U1L-14 Horizontal Milling Machine, 44"x8 1/2" T Slotted Table, 20-1500RPM Spindle Speed, 28"x9"x12" Travels, 480V	197	350Lbs Cap Free Standing Jib Crane, 10' Tall with 13' Arm with Assorted Jib Crane Parts, (1) 1 ton 17' Arm, (1) 1/2 Ton 152" Arm, (1) 150Lbs 152" Arm, and (1) 10' Post
185	Cooper Lighting (5) 400W Overhead Light Fixtures, 480V	198	(2) 62"x30" Pneumatic Lifting Platform
186	Cooper Lighting (5) 400W Overhead Light Fixtures, 480V	199	(4) Metal Platform Steps
187	Cooper Lighting (5) 400W Overhead Light Fixtures, 480V	200	LoadMaster 5'x4' Platform Scale, with GSE 550 Digital Readout
188	Cooper Lighting (5) 400W Overhead Light Fixtures, 480V	201	6" Benchtop Vise, with Swivel Base
189	Cooper Lighting (4) 400W Overhead Light Fixtures, 480V	202	(2) Sets of Fork Truck Forks, (1) Set 40" x 6" (1) Set 43" x 5 1/2"
190	(2) Crane Hoists, (1) P&H 1000Lbs	203	Wesco Fork Mounted Double Drum Clamp, 1500Lbs. Cap Per Drum
		204	Vestil LOP-3648 1000Lbs. Cap Man Lift Attachment, 36"x48"
		205	Hobart 3R6-720 MJIC S/N 181CS03066 12V Battery Charger, 160 Max Amps, 6 Cells, 432-720 AH, 480V Input
		206	Hobart 3R6-720 MJIC S/N 181CS03051 12V Battery Charger, 161 Max Amps, 6 Cells, 432-720 AH, 480V Input
		207	(1) Basket of Ply Lock Waler Brackets
		208	45" Fork Attachment For Skid Steer
		209	Kelly Creswell B2 S/N 7794 Dual Gun Line Striping Machine, with Honda GX390 Engine
		210	Open
		211	Granite Surface Table, 48"x36"x8"
		212	Tyrolit 179795 (2) Unused In Crate Grinding Wheels, 1067mm x 54.9mm x 304.8mm, 87A543-J7A-V2 45A Spec.
		213	Tyrolit 179795 (8) Unused In Crate Grinding Wheels, 1067mm x 54.9mm x 304.8mm, 87A543-J7A-V2 45A Spec.
		214	Tyrolit 179795 (4) Unused In Crate Grinding Wheels, 1067mm x 54.9mm x 304.8mm, 87A543-J7A-V2 45A Spec.
		215	Tyrolit 179795 (4) Unused In Crate Grinding Wheels, 1067mm x 54.9mm x 304.8mm, 87A543-J7A-V2 45A Spec.
		216	Tyrolit 179795 (6) Unused In Crate Grinding Wheels, 1067mm x 54.9mm x 304.8mm, 87A543-J7A-V2 45A Spec.
		217	Tyrolit 179795 (4) Unused In Crate Grinding Wheels, 1067mm x 54.9mm x 304.8mm, 87A543-J7A-V2 45A Spec.
		218	Tyrolit 179795 (4) Unused In Crate Grinding Wheels, 1067mm x 54.9mm x 304.8mm, 87A543-J7A-V2 45A Spec.
		219	Tyrolit 179795 (4) Unused In Crate Grinding Wheels, 1067mm x 54.9mm x 304.8mm, 87A543-J7A-V2 45A Spec.
		220	Tyrolit 179795 (4) Unused In Crate

221	Grinding Wheels, 1067mm x 54.9mm x 304.8mm, 87A543-J7A-V2 45A Spec. Tyrolit 179795 (6) Unused In Crate	244	VFME Spec. (4) Grinding Wheel Storage Racks, Each Rack Holds 4 Grinding Wheel, with (1) Grinding Wheel Transportation Cart
222	Grinding Wheels, 1067mm x 54.9mm x 304.8mm, 87A543-J7A-V2 45A Spec. Tyrolit 179795 (6) Unused In Crate	245	(2) 42" Grinding Wheel Balance Stands, (1) Sundstrand, (1) Crown
223	Grinding Wheels, 1067mm x 54.9mm x 304.8mm, 87A543-J7A-V2 45A Spec. Tyrolit 300609 (5) Unused In Crate	246	(24) Stackable Steel Storage Bins, 36"x26" x20"
224	Grinding Wheels, 1219mm x 55mm x 508mm, 87A543-L8A-V217 Spec. Tyrolit 300609 (4) Unused In Crate	247	(24) Stackable Steel Storage Bins, 36"x26" x20"
225	Grinding Wheels, 1219mm x 55mm x 508mm, 87A543-L8A-V217 Spec. Tyrolit 300609 (6) Unused In Crate	248	(24) Stackable Steel Storage Bins, 36"x26" x20"
226	Grinding Wheels, 1219mm x 55mm x 508mm, 87A543-L8A-V217 Spec. Tyrolit 300609 (4) Unused In Crate	249	(24) Stackable Steel Storage Bins, 36"x26" x20"
227	Grinding Wheels, 1219mm x 55mm x 508mm, 87A543-L8A-V217 Spec. Tyrolit 300609 (5) Unused In Crate	250	(24) Stackable Steel Storage Bins, 36"x26" x20"
228	Grinding Wheels, 1219mm x 55mm x 508mm, 87A543-L8A-V217 Spec. Tyrolit 300609 (5) Unused In Crate	251	(9) Stackable Steel Storage Bins, (4)38" x26"x24", (5) 44"x26"x18"
229	Grinding Wheels, 1219mm x 55mm x 508mm, 87A543-L8A-V217 Spec. Tyrolit (2) Unused In Crate Grinding Wheels, (1) 1219mm x 55mm x 508mm, 87A543-L8A-V217 Spec. (1) 1067mm x 49mm x 508mm, 87A54-K7A-V55 50A Spec.	252	(8) Plastic Folding Storage Bins, 32"x30" x18"
230	Tyrolit 307131 (6) Unused In Crate Grinding Wheels, 1067mm x 49mm x 508mm, 87A54-K7A-V55 50A Spec.	253	(8) Plastic Folding Storage Bins, 32"x30" x18"
231	Tyrolit 307131 (6) Unused In Crate Grinding Wheels, 1067mm x 49mm x 508mm, 87A54-K7A-V55 50A Spec.	254	(8) Plastic Folding Storage Bins, 32"x30" x18"
232	Tyrolit 307131 (3) Unused In Crate Grinding Wheels, 1067mm x 49mm x 508mm, 87A54-K7A-V55 50A Spec.	255	(8) Plastic Folding Storage Bins, 32"x30" x18"
233	Tyrolit 307131 (5) Unused In Crate Grinding Wheels, 1067mm x 49mm x 508mm, 87A54-K7A-V55 50A Spec.	256	Bethlehem Rolling Manual Hydraulic Man Lift, 20"x28" Platform
234	Tyrolit 179795 (2) Unused In Crate Grinding Wheels, 1067mm x 54.9mm x 304.8mm, 87A543-J7A-V2 45A Spec.	257	(3) A Frame Storage Racks, 48"x60"x28"
235	Tyrolit 179795 (4) Unused In Crate Grinding Wheels, 1067mm x 54.9mm x 304.8mm, 87A543-J7A-V2 45A Spec.	258	(2) A Frame Storage Racks, 75"x73"x60" with (2) A Frame Carts
236	Tyrolit 179795 (4) Unused In Crate Grinding Wheels, 1067mm x 54.9mm x 304.8mm, 87A543-J7A-V2 45A Spec.	259	(1) Section of Pallet Racking, (2) 9'x42" Uprights, (4) 10' Crossbeams, and Steel Slat Decking
237	Tyrolit 179795 (4) Unused In Crate Grinding Wheels, 1067mm x 54.9mm x 304.8mm, 87A543-J7A-V2 45A Spec.	260	(5) Sections of Pallet Racking, (6) 9'x42" Uprights, (16) 10' Crossbeams, and Wood Plank Decking
238	Tyrolit 179795 (4) Unused In Crate Grinding Wheels, 1067mm x 54.9mm x 304.8mm, 87A543-J7A-V2 45A Spec.	261	(2) Sections of Pallet Racking, (3) 11'x44" Uprights, (12) 106" Crossbeams, and Wood Plank Decking
239	Tyrolit 179795 (4) Unused In Crate Grinding Wheels, 1067mm x 54.9mm x 304.8mm, 87A543-J7A-V2 45A Spec.	262	(3) 2 Door Electrical Cabinets
240	Norton 4728-1925 (5) Unused In Box Grinding Wheels, 36"x1.930"x12"	263	(2) Butcher Block Work Benches, (1) 72" x30", (1) 48"x30"
241	Norton 4728-1925 (4) Unused In Box Grinding Wheels, 36"x1.930"x12"	264	(2) Butcher Block Work Benches, (1) 48" x30" with Overhead Light, (1) 36"x30"
242	Norton 4728-1925 (5) Unused In Box Grinding Wheels, 36"x1.930"x12"	265	(2) Butcher Block Work Benches, (1) 42" x24" with Overhead Light, (1) 48"x30"
243	58259 (10) Unused In Box Grinding Wheels, 42"x1.910"x20", 01F97A541-L6-	266	(2) Butcher Block Work Benches, 48"x30"
		267	(2) Butcher Block Work Benches, (1) 60" x30", (1) 60"x28"
		268	(2) Butcher Block Work Benches, 48"x30"
		269	(2) Butcher Block Work Benches, (1) 72" x24", (1) 48"x30"
		270	(2) Butcher Block Work Benches, 48"x30"
		271	(2) Butcher Block Work Benches, 48"x30"
		272	Open
		273	(5) Small Woodtop Tables, (2) 30"x30", (2) 24"x30", (1) 24"x24"
		274	(2) Work Benches , (1) 72"x36", (1) 108"x' 30"
		275	(2) Work Benches , (1) 72"x24", (1) 48" x30"
		276	(3) Storage Bins, (1) 76"x48"x28" Open Top Rolling Bin, (1) 60"x28"x34" 2 Door Rolling Bin with 4" Benchtop Vise, (1) 55" x41"x23"
		277	(11) Sections of Assorted Adjustable Shelving Units, Various Sizes

278	(9) Steel Stands, Various Sizes	_____		
279	(8) Steel Stands, Various Sizes	_____	312	Pressure Hydraulic Pump
280	(9) Steel Stands, Various Sizes	_____		Toro Snow Master 18" Gas Powered
281	(6) Steel Platforms, (4) 42"x42", (2) 38"x30"	_____	313	Snow Blower
282	(5) Assorted Steel Carts, Various Sizes	_____		Snorkelift UNO-33G S/N 8902480489
283	Self-Dumping Hopper, 54"x36"x30"	_____		Telescopic Boom Lift, 60"x30" Platform,
284	Self-Dumping Hopper, 54"x38"x34"	_____		500lbs. Cap, 32'8" Max Height, with
285	Woodtop Work Bench, 60"x29" with Wilton 4" Benchtop Vise and Single End 6" Buffer	_____	314	Recently Installed LP Engine (Delayed Pickup)
286	(2) Woodtop Work Benches, 72"x36"	_____		Cincinnati Hydrotel 28-96 S/N 1H6V1Y-17
287	Steeltop Work Bench, 60"x30" with (2) Low RPM Drills	_____	315	Vertical Milling Machine, 118 3/4"x23" T Slotted Table, X Travel 96", Y Travel 30", Z Travel 10", 72-1800RPM Spindle Speed, Cat 50 Spindle, 440V
288	Klix Tool Company S/N 9611-102 Horizontal Drilling Machine, 4" Throat, 24"x8 1/2" T Slotted Table with Pneumatic Clamp Parts Jig, 460V	_____	316	Natco F3B S/N F3B-132 Vertical Multi-Spindle Gang Drill, 30" Stroke, (24) Adjustable Spindles, Up to 24" Throat, 22" x14" Fixture Table, 440V
289	Contrx Cranes Free Standing Jib Crane, 1/4 Ton Cap, 12' Arm, 10' Column with Chicago Pneumatic 1/4 Ton Pneumatic Hoist and Trolley	_____	317	Giddings & Lewis 28" S/N 973-01382-75 Vertical Multi-Spindle Gang Drill, 14" Throat with Wisconsin Drill Head Co. (4) Spindle Head, 10" Stroke, 24"x21" Adjustable Height Table
290	Contrx Cranes Free Standing Jib Crane, 350lbs. Cap, 12' Arm, 10' Column	_____	318	Natco F3B S/N F3B-296 Vertical Multi-Spindle Gang Drill, 30" Stroke, (24) Adjustable Spindles, Up to 24" Throat, 20" x12" Fixture Table, 440V
291	Post Mounted Jib Crane, 500lbs. Cap, 17' Arm with Chicago Pneumatic 1/4 Ton Pneumatic Hoist and Trolley	_____		Lodge & Shipley S/N 43129 Engine Head Lathe, 20 1/2" Swing, 78" Between Centers, 2" Hole Through Spindle, 12" 3 Jaw Chuck, 14" 4 Jaw Chuck, 2 Position Dove Tail Tool Holder with Assorted Tool Holders, Taper Attachment, Steady Rest, and Tailstock, 480V
292	Post Mounted Jib Crane, 250lbs. Cap, 10' Arm	_____	319	Gardner 1230 S/N 48648 Surface Grinder, 12" Dia Grinding Wheel, 30"x12" Electromagnetic Chuck with Neutrofier Controller and Power Source, 440V
293	Post Mounted Jib Crane, 350lbs. Cap, 13' Arm with Chicago Pneumatic 1/4 Ton Pneumatic Hoist and Trolley	_____	320	Adcole 1200V S/N 7097 Vertical Measuring Machine, 9" Swing, 60" Between Centers, 8'x3' Granite Plate with Digital RXO2 Graphing Unit
294	Post Mounted Jib Crane, 350lbs. Cap, 18' Arm	_____	321	Ingersoll Rand 2340-E S/N 985507 Tank Mounted Compressor, 5HP, 175 Max PSIG, 14.9CFM, 60Gal Tank, 230V 1PH
295	Free Standing Jib Crane, 350lbs. Cap, 12' Arm, 11' Column with Ingersoll Rand Pneumatic Balancer and Trolley	_____	322	3 Wheel Electric Cart, 36V with Built In Charger
296	Post Mounted Jib Crane, 150lbs. Cap, 17' Arm, with Module-Air 150lbs. Pneumatic Balancer and Trolley	_____	323	Cushman 898320 S/N 93005147 3 Wheel Electric Cart, 24V
297	Post Mounted Jib Crane, 500lbs. Cap, 7' Arm with Pneumatic Hoist and Trolley	_____	324	Dayton 2Z4250 6" Double End Benchtop Grinder, 1/4HP 115V 3600RPM
298	Post Mounted Jib Crane, 350lbs. Cap, 17' Arm	_____	325	Zeiss WMM 850 S/N 76354 CMM, 23.62" Z, 47.24" Y, 33.46" X 72"x54" Granite Plate, with Assorted Zeiss Probes, Probe Controller, Digital Readout Cabinet, 3 Drawer Cabinet, and Computer Station with Printers
299	Contrx Post Mounted Jib Crane, 350lbs. Cap, 15' Arm	_____	326	Butler England Elgamill CS 10 S/N 556/25730 Bed Type Milling Machine, 16'6" x40 1/2"x23" T Slotted Table, 48" Vertical Travel, 169" Side Travel, 38 1/2" Ram Travel, 36-2500RPM Spindle Speed, 50 Taper Universal Head
300	Post Mounted Jib Crane, 150lbs. Cap, 20' Arm, with Ingersoll Rand 150lbs. Pneumatic Balancer and Trolley	_____	327	Mazak HQC-30 S/N 61225 Twin Pallet Horizontal Machining Center, 15" X Travel, 14" Y Travel, 14" Z Travel, 5,000RPM Max Spindle Speed, (2) 11 3/4"x11 3/4" Pallets, 30 Unit Cat 40 Automatic Tool Changer, Mazatrol Cam M-2 Controls, Pallet Changer
301	Post Mounted Jib Crane, 250lbs. Cap, 8' Arm, with Module-Air 150lbs. Pneumatic Balancer and Trolley	_____		
302	Open	_____		
303	Post Mounted Jib Crane, 300lbs. Cap. 9' Arm, with 300lbs. Cap Pneumatic Hoist and Trolley	_____		
304	Prab S/N 9035 Magnetic Chip Conveyor	_____		
305	Magnetic Chip Conveyor	_____		
306	Turbo 6475-8959 S/N 342434 Chip Conveyor	_____		
307	Enomoto EC-32 S/N 13716 Chip Conveyor	_____		
308	S/N 03M4237 Magnetic Chip Conveyor	_____		
309	Mayfran ZL3 Chip Conveyor	_____		
310	Tsubakimoto-Mayfran ZL3 Chip Conveyor	_____		
311	Ridgid Kollmann K375 Drain Cleaning Machine, with Carr Lane 7500 PSI High	_____		

328	Baker 26 HO S/N 14825 Vertical Multi-Spindle Gang Drill, (14) Adjustable Spindles, 26"x23" Table, 30" Throat, 15HP, 440V				Working Pressure, 460V
329	Norton 10X18 CV4 S/N 26185 Angle Head Cylindrical Grinder, 10" Swing, 18" Between Centers with Head and Tail Stock, Overhead Wheel Dresser, Grinding Monitor, 15HP 480V		351	Nissan 5000 CPF02A25V Propane Forklift, Chassis # CPF02-026681, Mast 3F475 (2 Stage), Side Shifter, Solid Tires, 1532.9 HRS	
330	Cincinnati 325-12 S/N 6M12H5S-46 Centerless Grinder, Nominal Diameter Capacity 1/2"-3", Max. Diameter Capacity: 6", Min. Grinding Wheel Diameter 16", Max. Grinding Wheel Diameter 24", Max. Grinding Wheel Width: 12", Grinding Wheel Hole Diameter 12", Min. Regulating Wheel Diameter 10-1/4", Max. Regulating Wheel Diameter 14", Max. Regulating Wheel Width 12", Regulating Wheel Hole Diameter 6" Low Range Wheel Speeds 11-56 rpm, High Range Wheel Speeds 56-300 rpm, Grinding Wheel Motor 25hp, Regulating Wheel Motor 2hp, 440V, 3PH		352	Nissan 3000 PH01A15V Propane Forklift, Chassis # PH01-905917, Mast 2H270 (Single Stage), Side Shifter, Pneumatic, 2563.1 HRS	
331	Kent-Owens 2-20-DS S/N 2-20DS-1128 Double Spindle Rise and Fall Horizontal Milling Machine, 35 1/4"x7 1/4" T Slotted Table, 440V		353	Nissan 5000 F01A157 Propane Forklift, Chassis # F01-025764, Mast 2W270 (Single Stage), Side Shifter, Pneumatic, 1827.7 HRS [Note This Lift needs a Radiator Replacement or Repair.]	
332	Kent-Owens 2-20 S/N 2-20-1314 Rise and Fall Horizontal Milling Machine, 36 1/4" x7 1/4" T Slotted Table, 440V				
333	CMT 860F S/N U-6900 Hydraulic Roll Marking Machine				
334	Landis 14X36 LR S/N 742-10 Angle Head Cylindrical Grinder, 14" Swing, 36" Between Centers with Head and Tail Stock, Marposs E9 Gauging, 480V				
335	Warner&Swasey 6X18 CV-5 S/N 28834 Angle Head Cylindrical Grinder, 6" Swing, 18" Between Centers with Head and Tail Stock, 440V				
336	5 HP Hydraulic Power Unit, 50"x29"x10" Tank				
337	5 HP Hydraulic Power Unit, 50"x29"x10" Tank				
338	5 HP Hydraulic Power Unit, 50"x29"x10" Tank				
339	Dynamic Technologies 20HP Hydraulic Power Unit, 47"x26"14" Tank				
340	10HP Hydraulic Power Unit, 47"x26"12" Tank				
341	Dynamic Technologies 20HP Hydraulic Power Unit, 47"x26"14" Tank				
342	Barrett Centrifugals S/N 1251669E 2HP Centrifuge, with 48"x27"x14" Hydraulic Tank				
343	(2) Hydraulic Power Units, Unknown HP				
344	(2) Hydraulic Power Units, (1) 3/4HP, (1) Unknown				
345	(2) Hydraulic Power Units, 1.5KW				
346	(2) Hydraulic Power Units, (1) 2HP, (1) 1 1/2HP				
347	(2) Hydraulic Power Units, Unknown HP				
348	Hydraulic Power Unit, 1.5HP				
349	(2) Hydraulic Power Units, (1) SC 1.5B Pneumatic Powered Pump with 38"x24" x10" Tank, (1) 26"x17"x12" 1.5KW Electric Hydraulic Unit				
350	Kaiser 80300 Compressed Air Dryer, 300SCFM @ 100PSIG Cap, 200PSIG Max				