

As Instructed by the Company

COMPLETE PLANT CLOSURE

PUBLIC AUCTION

**WEBCAST
& ONSITE**



WED, JAN. 17TH 2018 @ 10AM EST

PREVIEW & INSPECTION: Tuesday, January 16 from 9am-4pm or by appointment

180 Market Dr. • Milton, Ontario (Toronto)



ZEISS UMC 850 CMM



GLEASON 650 GMS Gear Measuring Machine



KAPP VAS531 CNC Gear Grinder



CAT C32DKGG 1000KW Gen Set, Switch Gear & UPS System

For Complete Information Please Contact: **Mike McIntosh** | 416-242-3560 | MMcintosh@maynards.com

Maynards
Industries Canada Ltd. SINCE 1902
AUCTIONS | LIQUIDATIONS | APPRAISALS


75 International Blvd., Suite 102
Toronto ON M9W 6L9
Tel: 416-242-3560 | Fax: 416-242-5085
www.maynards.com

BidSpotter.com

Unable to attend? **BID LIVE, ON-LINE!**
Register at www.bidspotter.com

AUCTION: Wednesday, January 17, 2018 at 10am EST
ADDRESS: 180 Market Dr., Milton, Ontario
PREVIEW: Tues., Jan. 16 - 9am-4pm or by appointment
DRIVING: From Toronto Pearson International Airport:
 Get on ON-427 S; Take ON-401 W to Regional Rd 25 S in Milton. Take exit 320 from ON-401 W; Follow Regional Rd 25 S and Market Dr. to sale site (25 mins./36 kms)

HOTELS: Best Western Plus (Milton) 905-875-3818
 Holiday Inn Express & Suites 905-876-4955
 Home2 Suites by Hilton 289-878-3800



BidSpotter.com Unable to attend?
BID LIVE, ON-LINE!
 Register at bidspotter.com

- 18% BUYERS PREMIUM APPLIES TO ALL SALES
- SALE CONDUCTED IN U.S. FUNDS

TERMS & CONDITIONS | PAYMENT: 25% NON-REFUNDABLE DEPOSIT ON AWARD OF BID. BALANCE WITHIN 24 HOURS. PAYMENT IS CASH, CASHIER'S CHEQUE, CERTIFIED CHEQUE, WIRE TRANSFER, COMPANY CHEQUE ONLY IF ACCOMPANIED BY A LETTER FROM YOUR BANK GUARANTEEING AMOUNT OF CHEQUE FOR DEPOSIT AND/OR PAYMENT IN FULL. NO PERSONAL CHEQUES. FULL PAYMENT MUST BE MADE BEFORE REMOVAL OF PURCHASE. **REMOVAL:** LAST DAY OF REMOVAL IS FRIDAY, JANUARY 26, 2018, AND AS FURTHER DEFINED IN THE SALE CATALOGUE. EVERYTHING IS SOLD "AS IS, WHERE IS". ALL SALES FINAL. COST AND RESPONSIBILITY FOR REMOVAL OF PURCHASE REMAINS WITH THE PURCHASER. EVERY EFFORT WILL BE MADE TO FACILITATE REMOVAL. WHILE QUANTITIES AND DESCRIPTIONS ARE BELIEVED TO BE ACCURATE, THE AUCTIONEER, OWNERS OR COUNSEL MAKE NO WARRANTIES OR GUARANTEES EITHER EXPRESSED OR IMPLIED AS TO AUTHENTICITY, GENUINENESS OF, OR DEFECTS IN ANY LOT AND WILL NOT BE HELD RESPONSIBLE FOR ANY ADVERTISING DISCREPANCIES OR INACCURACIES. NO WARRANTIES WHATSOEVER ARE MADE AS TO CONDITION, MERCHANTABILITY OR FITNESS FOR USE OF ANY ITEM. MAY WE SUGGEST YOU TAKE FULL ADVANTAGE OF THE PREVIEW AND INSPECTION PERIOD. **SALE SUBJECT TO ADDITIONS, DELETIONS & PRIOR SALES. PLEASE CHECK AVAILABILITY OF EQUIPMENT.**



MATSUURA MC-900H-63-PC2S CNC Horizontal Machining Center

GEAR MEASURING SYSTEM

- 2014 GLEASON 650 GMS Gear Measuring System, 4-Axis Gear Measurement, 4 Renishaw SH80 Measuring Heads, 4 Stylus Probe Changer, 24" Rotary Table, 9.5" 3-Jaw Chuck. Only 200 Hrs., Input: 240V rms, 50-60 Hz, 20 Amp, Interupt Cap: 10,000 Amps, Air Supply: 7.5 Bar, s/n 7180

GEAR GRINDING EQUIPMENT

- 1992 KAPP VAS 531 CNC Gear Grinder for Parallel Axis Grinding, 2-Spindle, 18" Max Dia., 40" Max Length, 20' L x 9' W x 12' T, (6 Spindles Available for Sale), s/n 770477
- 1991 KAPP VAS 531 CNC Gear Grinder for Parallel Axis Grinding, 2-Spindle, 18" Max Dia., 40" Max Length, 20' L x 9' W x 12' T, (6 Spindles Available for Sale), s/n 770371
- REISHAUER RZ 300E Gear Grinder, s/n 61640-06



HARDINGE HLV Lathe



MATRIX Thread Grinder



SIP Jig Borer



BOEHRINGER Polishing Lathe



10F2

KAPP VAS531 CNC Gear Grinder



KLINGELBERG Type SNC30 Hob Cutter/Sharpener



2014

GLEASON 650 GMS Gear Measuring Machine

GEAR MACHINERY

- **EX-CELL-O** HGF Gear Finisher, s/n 530002/6
- **GLEASON** 7A Gear Generator, No.7 Spiral Bevel & Hypoid Gear Generator, Longest Cone Distance: 4.25", Largest Pitch Dia: 8.5", Max Full Depth: .500", Longest Face: 1.25", Speeds: 80-200 fpm, 3hp, 60 Hz, s/n 25261
- **B & K FELLOWS** 600 RL Gear Checker, s/n 36221
- **GLEASON** No. 6 Angular Hand Rolling & Power Tester Hand Rolling & Power Angular Hypoid Bevel Gear Tester, Max Dia: 6.75", Range of Angles: 0-180°, Pinion Offset: +/- 1.25", Spindle Speeds: 1750-3500 rpm, 1 hp Motor, s/n 651008
- **REISHAUER** 09A High Speed Finishing Machine, s/n 976803

CNC MACHINERY

- **1991 MATSUURA** MC-900H-63-PC2S CNC Horizontal Machining Center, 4-Axis, Fanuc 15M CNC Control, Spindle Speed: B-Axis Contouring, X Axis Travel: 36.22", Y Axis Travel: 28.34", Z Axis Travel: 29.92", Spindle Drive Motor: 20hp/15hp, Spindle Speed Range: 6000rpm, Dual 24.8" x 24.8" Pallets, Max Pallet Load: 2645 lbs, 50 Position Auto Tool Changer, Heavy Duty Square Ways, Max Tool Weight: 44 lbs, Max Tool Dia: 9", Chip Conveyor, s/n 910209290.00
- **MATSUURA** MC-600U Vertical CNC Machining Center
- **HWACHEON** Hi-Eco 31A CNC Turning Center

MACHINE TOOLS

- **HARDINGE** HLV Lathe, Configured to Work as a Polishing Center, 1hp, 3Ph, 60Hz, 110V, 6" Dia Max, 12" Length Max, Guarding Shrouds
- **VDF BOEHRINGER** Engine Lathe, Reconfigured to Work as a Polishing Lathe/Brush Deburring, Water Cooled Spindle, 14" Swing, 8' Bed
- **SIP** H-6 Hydroptic-6 Vertical Jig Borer
- **BLANCHARD** No.18 Rotary Surface Grinder, 12" High Work Piece, 30" Magnetic Chuck, Filter Mist Extraction, New Grinding Wheel in Box, s/n 57
- **KLINGELBERG** SNC 30 CNC Universal Grinder/Hob Sharpener, Grinding Dia: 11.8", Grinding Length: 19.4", Profile Depth: 3.5", Center Distance: 15.75"-31.49", Pitch Angle: 45°, Number of Flutes: 2-99, Grinding Wheel Speeds: 1000-2700 U/min, Grinding Wheel Dia: 5.9"-11.8", Recently Overhauled, New Cutter, s/n 3880
- **OSBORN** Brush Deburring Machine
- **K.JUNG GOEPPINGEN** JF-520 Reciprocating Surface Grinder, 380V, 3Ph, 60Hz, s/n 1746
- **MATRIX** Thread Grinder, 4" Dia, 8" Long Capacity, 120" Tall Stand for Exhaust Vacuum
- **DONAU** DR23 Radial Arm Drill Press, Ram Type, Morse Taper Spindle, 58" Spindle Travel, Table: 42" x 19.75", s/n 2183-2
- **CINCINNATI** Cutter/Grinding Machine, 3.5" Dia, 36" Table, 575V, 4 Amp, 60Hz, Currently No Head, s/n 5804-E-81-07-04
- **CINCINNATI** MT Monoset Cutter & Tool Grinder, Tool Sharpener, Indexable Head, 575V, 60Hz, 3Ph, s/n 3152A0173-0071
- **NORTON** Tool Sharpener for Carbides, 36" Wide Bed
- **TORIT** 64 Dust Collector 575V, 60Hz, 3/4 hp, s/n L3696



FELLOWS 600RL Gear Checker



REISHAUER RZ300 Gear Grinder



GLEASON Gear Generator



GLEASON No. 7 Hypoid Gear Generator

(2) COORDINATE MEASURING MACHINES



ZEISS UMC 850 CMM



MITUTOYO BRT910 CMM



PARLEC 260 Taper Tool Presetter



CINCINNATI Cutter/Grinder

GRINDERS

- **BLANCHARD** No. 18 Vertical Rotary Surface Grinder, 12" High Work Piece, 30" Magnetic Chuck, Filter Mist Extraction, New Grinding Wheel in Box, s/n 7043
- **NORTON** Tool & Cutter Grinder, Tool Sharpener for Carbides, 36" Long Bed
- **WILLIAMS & WILLIAMS** Double Profile Grinder, 6" Dia. Wheels
- **EX-CELL-O** Double Disk Grinder
- **FORD SMITH** Double End Grinder, s/n 4213

COORDINATE MEASURING MACHINES

- **ZEISS** UMC 850 Coordinate Measuring Machine, High Speed Scanning Probe Head, Multi-Sensor Rack, X: 33.46", Y: 47.24", Z: 23.62", Software: Calypso 5.6 & Service Pack 2, Version: 5.6.08, Multiple Upgrades with Final in 2016, Probe Head Accessories & Cabinet Incl., s/n 74731
- **MITUTOYO** BRT910 Coordinate Measuring Machine, Code#: 3995M3211, Renishaw Probe Head Control & Probe Interface, 3D Geopack Version: 5.41 Software & Computer, s/n 44605



BLANCHARD No. 18 Rotary Surface Grinder



DONAU Radial Arm Drill Press

PRECISION TEST / TOOLING

- **JONES & LAMSON** Epic 30E Optical Comparator, s/n 80578
- **MITUTOYO** PH 350 Optical Comparator
- **LECO** 677-200-500 Tester, s/n U285
- **WILSON** 5DT P Hardness Tester, s/n 261-783
- **NEWAGE** HMV 2T Tester, s/n 1.53034E+11
- **NEWAGE** Tester, s/n 560764
- **ZEISS** Axiovent 40 Mat Microscope, s/n OT 8847
- **OLYMPUS** SZ - PT Microscope, s/n OT 10370
- **STRUERS** RotoPol - 31 Polishing Machine
- **STRUERS** LaboPress-3 Lab Press
- **BUEHLER** Delta Abrasimet Abrasive Cut Off Saw, s/n 662 BDL8-00785

BLAST/FURNACE EQUIPMENT



BLAST-IT-ALL Shot Blast Stations



DESPATCH Tempering Ovens



WEBBER Freezer



LECO Tester



BUEHLER Abrasive Cut-Off Saw



STRUERS Polishing Machine

LAB EQUIPMENT



STINGRAY Parts Washer



LISTA Tool Cabinets



COMPAIR L75 Compressor



1100 lb. Jib Crane



500 lb. Jib Crane



ACCO 4000 lb. Double Girder Bridge Crane



ACCO 2-Ton Single Girder Bridge Cranes

HEAT TREAT / PLATING EQUIPMENT


- **WEBER MFG CO.** Deep Freeze, Controllable to -120°F, Box: 5'x3'x3', s/n 143-22
- **WEBER MFG CO.** Deep Freeze, Controllable to -120°F, Box: 5'x3'x3'
- **SUPER ALLCASE** Furnace, s/n J192
- **(3)** Dispatch Ovens
- **(6)** Annealing Pit Furnaces, s/n A5
- **2007 PARK THERMAL** Electric Tempering Oven, Max Temp: 500, 480V, 3Ph, 60Hz, Flexible Rack up to 48"h, 48"w, 24" Deep, Temperature Recorder, s/n 3137
- **DESPATCH RS2STD** Tempering Oven 550/110V, 3Ph, 60Hz, Heater: 15Kw Heating, Box: 5'x3'x3' Deep, Asset #143-09 70949
- **DESPATCH RS2STD** Tempering Oven 550/110V, 3Ph, 60Hz, Heater: 15Kw Heating, Box: 5'x3'x3' Deep, s/n 70948
- **DESPATCH RS2STD** Tempering Oven 575V, 3Ph, 60Hz, Heater: 20Kw Heating, Box: 5'x3'x3' Deep, s/n 140317-3

PLANT SUPPORT EQUIPMENT

- **COMPAIR** Delcos XL L75R5 Air Compressor, Air End 5980, 575V, 3Ph, 60Hz, Volume Rate of Flow: 12.58, Stage Pressure: 9.0 Bar, Suction Pressure: 1.0 Bar, Full Load Current: 84 Amps, 8596 Service Hours, s/n CD10013878002
- **RICHERS** Jib Crane
- **ACCO** Double Girder Underslung Crane
- **ACCO** Single Girder Underslung Crane
- **STARTRITE** H250 M Horizontal Band Saw, Cutting Dia: 9.8", Saw Band Length: 143" x 1" x .035", Cutting Width: 18", Cutting Speed: 50-300 fpm, 575V, 2hp, 3Ph, 60Hz, s/n 129400
- **RIGHTWAY** Single Girder Underslung Crane
- **2014 STINGRAY** SR4040 Parts Washer, 60" Shaft Max, 36" Dia Max, Supply Voltage: 575, 3Ph/60Hz, s/n 8472
- **(3) RICHERS** 2 Ton Single-Girder Bridge Cranes
- **ACCO** Double Girder Underslung Crane
- **WHITE** TF2080 Parts Carousel, 26 Pans, Load Per Pan: 800 lbs, Max Cap: 25000 lbs, 230V, 1Ph, 60Hz, s/n TF42617
- Multiple Small Tools, Tool Cabinets, Safety Supplies, Desks, Measuring Tools, Racks and Shelves
- **EMPIRE** 40355-40361 Shot Blasting Machine, s/n 2636 S

2013 CAT GEN SET

1000 KW



2013 CAT C32 1000KE Gen Set Pkg: C32PKGG, s/n JSJ02996, Eng Make: CAT Mod C-32, s/n JSJ02996, Generator Make: CAT Mod SR5, s/n G1G05467, 1250 KVA, 600 Volts, 1000 KW, 30'L x 7'W x 9.5'T, Switch Gear: (1ea) 1600 Amp Circuit Breaker, (2ea) 1250 Amp Circuit Breakers, UPS Backup System - 10 Second Backup Power, s/n JSJ02996



100s OF TOOL/TEST & MEASURING EQUIPMENT LOTS



COMPLETE PLANT CLOSURE

PUBLIC AUCTION

**WEBCAST
& ONSITE**



Maynards Industries Ltd.

1837 Main St.
Vancouver BC
V5T 3B8

www.maynards.com

WED, JAN. 17TH
10AM^{EST}

PREVIEW & INSPECTION:

Tuesday, January 16 from 9am-4pm or by appointment

180 Market Dr.
Milton ON (Toronto)



For Complete Information Please Contact: **Mike McIntosh** | 416-242-3560 | MMcintosh@maynards.com

Maynards
Industries Canada Ltd. **SINCE 1902**
AUCTIONS | LIQUIDATIONS | APPRAISALS

75 International Blvd., Suite 102
Toronto ON M9W 6L9
Tel: 416-242-3560 | Fax: 416-242-5085

www.maynards.com

BidSpotter.com

Unable to attend? **BID LIVE, ON-LINE!**
Register at www.bidspotter.com