

▶ **Formerly Eagle Family Foods**

Upcoming

Former Eagle Family Foods Milnot Dairy Processing & Canning Operation

Location : Seneca, MISSOURI

Contact : Taso Sofikitis

▶ **Crossline Auto Group**

Upcoming

HUGE OFFERING of over (275) NEW/USED VEHICLES- Cars/ Trucks/ SUV'S

Location : Edmonton, ALBERTA

Contact : Michael Seibold 604-675-2227

▶ **Automotive Manufacturer**

Upcoming

Surplus equipment to ongoing operations of an Automotive Manufacturer

Location : Normal, ILLINOIS

Contact : Matt Gossett 248-569-9781

▶ **Meritor - NC**

Aug 14, 2018 10:00 AM

CNC Lathes, CNC Vertical and Horizontal Machining Centers, Tool Room, Inspection Equipment and much more

Location : Morganton, NORTH CAROLINA

Contact : Matt Gossett 248-569-9781

▶ **Major Shipbuilding company Surplus**

Aug 16, 2018 10:00 AM

Surplus to ongoing operations of Major Shipbuilding Company - Cranes, fork trucks, welders, etc

Location : Jacksonville, FLORIDA

Contact : Matt Gossett 248-569-9781

▶ **UAW-Chrysler National Training Center (NTC)**

Aug 22, 2018 01:00 PM

Surplus Assets to the ongoing operations of UAW-Chrysler National Training Center

Location : Warren, MICHIGAN

Contact : Mario Mazzuca 248-569-9781

▶ **Major Tier 1 Automotive Supplier**

Aug 23, 2018 10:00 AM

Surplus to Ongoing Operations of Major Tier 1 Automotive Supplier - Gear and Machining Manufacturing Facility

Location : N Charleston, SOUTH CAROLINA

Contact : Matt Gossett 248-569-9781



Rite Style Manufacturing Ltd

TIME : Aug 13, 2018 - Aug 16, 2018 11:00 AM

LOCATION: 12050 90th Avenue
Surrey, BRITISH COLUMBIA

TERMS AND CONDITIONS

PAYMENT: 25% NON-REFUNDABLE DEPOSIT ON AWARD OF BID, BALANCE WITHIN 24 HOURS. PAYMENT IS CASH, CASHIER'S CHEQUE, CERTIFIED CHEQUE, WIRE TRANSFER, COMPANY CHEQUE ONLY IF ACCOMPANIED BY A LETTER FROM YOUR BANK GUARANTEEING AMOUNT OF CHEQUE FOR DEPOSIT AND/OR PAYMENT IN FULL. NO PERSONAL CHEQUES. FULL PAYMENT MUST BE MADE BEFORE REMOVAL OF PURCHASE.

REMOVAL: LAST DAY OF REMOVAL IS **FRIDAY, AUG 24 2018 BY 4:00 PM (OR BY PRIOR APPOINTMENT)**, AND AS FURTHER DEFINED IN THE SALE CATALOGUE. **EVERYTHING IS SOLD "AS IS, WHERE IS"**. ALL SALES FINAL. COST AND RESPONSIBILITY FOR REMOVAL OF PURCHASE REMAINS WITH THE PURCHASER. EVERY EFFORT WILL BE MADE TO FACILITATE REMOVAL. WHILE QUANTITIES AND DESCRIPTIONS ARE BELIEVED TO BE ACCURATE, THE AUCTIONEER, OWNERS OR COUNSEL MAKE NO WARRANTIES OR GUARANTEES EITHER EXPRESSED OR IMPLIED AS TO AUTHENTICITY, GENUINENESS OF, OR DEFECTS IN ANY LOT AND WILL NOT BE HELD RESPONSIBLE FOR ANY ADVERTISING DISCREPANCIES OR INACCURACIES. NO WARRANTIES WHATSOEVER ARE MADE AS TO CONDITION, MERCHANTABILITY OR FITNESS FOR USE OF ANY ITEM. MAY WE SUGGEST YOU TAKE FULL ADVANTAGE OF THE PREVIEW AND INSPECTION PERIOD. **SALE SUBJECT TO ADDITIONS, DELETIONS AND PRIOR SALE.**

PLEASE REFER TO YOUR BIDDER CARD FOR A COMPLETE LISTING OF THE TERMS AND CONDITIONS.

Buyers Premium 18 % On-Line

Maynards
SINCE 1902

Industries Canada Ltd

VANCOUVER OFFICE
2280 Kingsway St.
Vancouver BC
V5N 5M9
T: (604) 876-6787
E: info@maynards.com

www.maynards.com

| | | | | |
|----|---|-------|----|--|
| 1 | Busy bee Shaper , 5 hp | _____ | | twin 5 hp and twin 2 hp drives |
| 2 | Ritter Shaper | _____ | 34 | 1992 QUICKWOOD RO1100 Dual head |
| 3 | Pearson 4705 Single spindle sanding machine | _____ | | denibbing sander, , 44" W X 4" thick max cap, (2) counter rotating carrousel with (4) rotating sanding heads on each, (8) rotating hex spindles, 300 - 1200 rpm variable spindles, |
| 4 | Belt conveyor , 11' X 20 3/4" Variable Speed | _____ | | |
| 5 | Gravity rollcase, 10' | _____ | | |
| 6 | Gravity rollcase, 25' of 20 1/2" | _____ | 35 | 2000 Sunhill SDS-237 2 head 38" wide belt sander,, FPC-515 controls |
| 7 | Western cutterhead Cutter head , Insert blade | _____ | 36 | SCM UNO ROS belt sander, 2 head 37" wide |
| 8 | Western cutterhead Cutter head , Insert blade | _____ | 37 | 2003 Griggio T270 SINGLE HEAD SHAPER, W/CANTEK RUBBER BELT FEEDER & SIEMENS SIMATIC OP7 CONTROL |
| 9 | Western cutterhead Cutter head , Insert blade | _____ | | |
| 10 | Pneumatic clamps, 2 Pneumatic clamps | _____ | | |
| 11 | Jointer , 6" | _____ | 38 | 2006 Routech Record 110ALXL S/N AA1/015847 SINGLE HEAD POINT TO NESTED BASE ROUTER , W/DRILL HEAD, 12 TOOL CHANGER, 49"X 20' HOLD DOWN TABLE XYZ AXIS, COMPUTER & CONTROLS 2X250 CUBIC METRE PUMPS, ALUMINUM TABLE, 12 VERTICAL DRILLS, 6 HORIZONTAL 4TH AXIS, HSK CHUCKS, AUTO LUBRICATION ON THE GUIDES and spare parts |
| 12 | Pallet of parts , Barrel cart, router, hose, bandsaw blades | _____ | | |
| 13 | Univer Feeder, 3 roll | _____ | | |
| 14 | Jepson Shaper , 1 3/4" or 1 1/4" 7500-10,000 rpm, 3 hp | _____ | | |
| 15 | Pallet rack , 1 section 4 tier | _____ | | |
| 16 | NYB Pressure blower, 5 hp size 1906A05 | _____ | | |
| 17 | Profilematic Twin head profiler profile sander, with feed through edge, sands from top at adjustable angles narrow moulding tyoe parts as well profiled edges on panels, 200-1800 rpm, profile width approx 1/2" -4 " max, 5" material thickness | _____ | 39 | 2000 Routech RECORD 130 ALUMINUM NESTED BASE ROUTER , W/ROUTER HEAD, DRILL HEAD, 12 TOOL CHANGER, 4'X10' TABLE, XYZ AXIS & CONTROLS 1200 X 3100MM, AUTO-LUBRICATION ON THE GUIDES, TWO FIELDS FOR PENDULUM PRODUCTION, VERTICAL DRILL SPINDLES DRIVEN BY BALL SCREW, and spare parts |
| 18 | Cantek SS513M Shaper, 7.5 hp, 3000-10,000 rpm | _____ | | |
| 19 | UNIQUE 250MC SINGLE HEAD SHAPER, W/HOLD DOWNS & TRAVELING TABLE | _____ | | |
| 20 | Dust collector, 2 hp single bag | _____ | | |
| 21 | Saw blades and drills , Saw blades and drills | _____ | 40 | ITALPRESS PL/9 SPECIAL Solid wood press line for wood panels, , thermo-oil heating, workpiece thickness approx 12-60mm, transfer prep table infeed, infeed rollewr conveyor with vertical strip feed, working width approx 200 mm, press Italpress PL9 for solid wood panels 2500 X 1300mm, 6 vertical cylinders, 6 horizontal cylinders from top, 3 cylinders vertical as counter pressure fence, unloading table, (panel production time approx 4 min) |
| 22 | Shaper blades, Shaper blades | _____ | | |
| 23 | Saw blades , Saw blades | _____ | | |
| 24 | Feeder arm , Feeder arm | _____ | | |
| 25 | Clamp table, Steel. Adjustable, pneumatic foot operated | _____ | | |
| 26 | Supplies, Lot of clamps and staples | _____ | | |
| 27 | DTI 5000 Automatic feed screwdriver | _____ | | |
| 28 | UNIQUE 310-40" S/N 101702264 Miter machine, drill & jointer, TWIN DRILL head STATIONS, TWIN HEAD SHAPER, SLIDING TABLE | _____ | 41 | 2002 F-00AP-20-08-08 S/N 19718 Conveyorized glue spreader , 18' X 21 1/2" .5 hp |
| 29 | Pallet rack , 3 tier | _____ | | |
| 30 | AEM 502-37 Planer/sander, 36", powered with twin 20 hp drives | _____ | 42 | Safety arm , Table saw safety arm |
| 31 | UNIQUE 3250 Shape and sand machine,, (2) 10 hp direct drive shaping heads, variable speed 5000-9000 rpm, 1 1-4" dia spindles, 8" stack height, (2) profile sanding heads variable speed 400-2000 rpm , horizontal and vertical digital position indicators for sanding heads, 6" wide feed chain with track poads, 6" max cutter dia, 7 " max sander dia, 2 1/2" max material thickness cap | _____ | 43 | 2000 Homag CH03/32/32 PLUS OPTIMATic S/N 0-341-07-5605 10' FRONT LOADING PANEL SAW , W/3 HOLD DOWN TABLES & COMPUTER CONTROL 5 GRIPPING, AUTOMATIC SIDE ALIGHNER, 3 AIR FLOTATION TABLES 72" X 24" - LABEL PRINTER |
| 32 | 2000 CPC Pressaper porte S/N 200.98 Twin head press assembly table, , 32" throughfeed belt conveyor, door clamp with squaring, Type PAO45.90/2800 | _____ | 44 | Steel rack , 3 tier |
| 33 | 1998 Cemco J00-2243 TWO HEAD ORBITAL SANDER , CEMCO 2000, 42" POWERED BELT FEED THROUGH, | _____ | 45 | 2001 GRECON DIMTER Opticut 104R Push feed OPTIMIZING CHOP SAW LINE,, for moulded stile and rail parts, board length 16" min - 20'6" max, board thickness 0.75" -4" max, board width 1"-13.5" max, , board cross section 0.75" X1" min to 3.5" X13.5" max, 10 hp, saw blade dia 20 1/2", 2900 rpm, hold downs variable speed, detect cutting by flourescent crayon mark |

| | | | | | |
|----|---|-------|----|------------------------------|-------|
| 46 | Videojet 43S Ink jet marker system , With stand | _____ | 69 | gravity rollcase, approx 70' | _____ |
| 47 | 2007 FRUILLMAC RANDOMAT T-REX FELXIMAT SINGLE SIDE END TENONER, SQUARING, TENONING, PROFILING & SANDING SOLID WOOD MACHINERY/CONTROLS, SIEMENS SIMATIC TOUCH PANEL & FRUILLMAC FN225 OUTFEED BELT CONVEYOR (cabinet door rail cope/tenon) | _____ | | | |
| 48 | Progress PMC side belt sander, 6' X 6" sander | _____ | | | |
| 49 | 1998 Biesse Rover 346 S/N 81634 POINT TO POINT ROUTER, , X axis 3200mm, Y axis 1325mm ,Z axis 130mm, 2 ROUTERS, DRILL STATION, , 31 VERTICAL & 10 HORIZONTAL DRILL SPINDLE, SIDE TOOL CHANGER, 115 mm material thickness, eight movable work tables with suction cups, Vacuum pump and spare parts | _____ | | | |
| 50 | SCMI SUPERSET XL 5 HEAD MOULDER, , working cap 9" X 4.72", Head sequence B,R,L,T,U, spindle dia 40mm, cutterhead speed 6,000 rpm, auto positioning, MAGELIS CONTROLS, DIGITAL READOUTS and spare parts | _____ | | | |
| 51 | 2001 RAIMANN KMUSBV RIPS AW , Dip chain gang, one movable blade positioning, RAIMANN CONTROLS SIEMENS SIMATIC OP7 & 4 LASER LIGHTS | _____ | | | |
| 52 | Kikusawa RP-12 Rip saw, dip chain | _____ | | | |
| 53 | ITALPRESSE MODEL LOCKFORM S/ N 50063 SHUTTLE SYSTEM AIR LOCK FORMER HEAT PRESS, W/TABLE & CONTROLS FOR MDF DOOR PRODUCTION, 4X8 SOLID STEEL PROTEINS, QUICK SET UP PEDESTAL SYSTEM WITH AUTO-RESET, with rolls of laminate and change cart | _____ | | | |
| 54 | Gravity rolls, 30' of 18" | _____ | | | |
| 55 | P.A.O. MACC EMBOSSEING S/N 06878 Heat embosser system,, for embossing medium and soft hardwoods at feed speeds of 26-131 FPM, Siemens plc, seven drive wheels, temperature control 0-650 DG, Type PC/TR/1D | _____ | | | |
| 56 | Press system, 12' X 2' pneumatic, twin cyl | _____ | | | |
| 57 | Gravity rollcase, 5' | _____ | | | |
| 58 | Ramco 25 Belt sander, 23 1/2" single head | _____ | | | |
| 59 | Belt conveyor , 8' X 59" | _____ | | | |
| 60 | 1992 Masterwood Project 313 Router system, with control panel and dryer | _____ | | | |
| 61 | Ingersoll rand SSR Compressor, Approx 30 hp rotary screw | _____ | | | |
| 62 | Fiberglass boat , 12', 20 hp Evinrude outboard motor, Sprint single axle trailer | _____ | | | |
| 63 | Post forming line , 20' Twin strand, top heat section, side and top press rolls | _____ | | | |
| 64 | Feeder, 3 hp | _____ | | | |
| 65 | Blower, Approx 40 hp blower on stand | _____ | | | |
| 66 | Steel rack , 5 section 2 tier | _____ | | | |
| 67 | Yard steel, Lot of markes scrap steel in yard, Glue roller, pallet jack, Anderson 25 hp blower, pallet racking, press | _____ | | | |
| 68 | rolling racks, 2 on castors | _____ | | | |