

▶ **Cameco Corporation**

**Upcoming**

Liquidation of Surplus Inventories and Underground and Surface Mining equipment

Location : SASKATCHEWAN

Contact : Mike McIntosh 905-469-8436

▶ **Wesley Ray & Son Inc**

**Upcoming**

Pipe Contracting Business to Include Yellow Iron, Vintage Vehicles, Cars & Trucks, Trailers, and Nice Scrap Opportunity

Location : Redlands, CALIFORNIA

Contact : Taso Sofikitis

▶ **West Linn Paper Company**

**Upcoming**

Featuring Complete Paper Mill with (3) Paper Machines with on machine coaters, stock preparation, etc

Location : West Linn, OREGON

Contact : Michael Seibold 604-675-2227

▶ **Lippert Components, Inc**

**Mar 29, 2019**

**10:00 AM**

Short Notice Sale - (26) OBI Punch Presses to 60 Tons, (10) Chicago Model 912 Riveters, (4) Press Brakes to 75 Tons, (2) Shears, (2) Lathes, Multicam 5' X 10' CNC Router and Support Assets

Location : Los Angeles, CALIFORNIA

Contact : Taso Sofikitis

▶ **CNC for Production of Automatic Transmission**

**Apr 07, 2019**

**04:00 PM**

Punch Group

Surplus Equipment to the Ongoing Operations of PUNCH, a Major Gears and Transmission OEM

Location :

Contact : Andreas 491-743-2011-6

Matuszczak

▶ **Surplus Assets of American Buildings Co**

**Apr 18, 2019**

**10:00 AM**

Assets Surplus to the Ongoing Operations of American Buildings Company (A Nucor Company) - Complete Purlin Line, Bradbury Siding & Standing Seam Rollformers, 225 Ton Pacific Press Brakes, etc

Location : La Crosse, VIRGINIA

Contact : Taso Sofikitis

▶ **Continental Casting, LLC**

**May 15, 2019**

**10:00 AM**

Equipment Surplus to Ongoing Operations, including Complete Mold and Die casting shop

Location : Palmyra, MISSOURI

Contact : Mario Mazzuca 248-569-9781

**B**

BlueOak Arkansas LLC

**TIME :** Mar 28, 2019 10:00 AM  
**LOCATION:** 1024 Ohlendorf Road  
Osceola, ARKANSAS

**TERMS AND CONDITIONS**

Thurs Feb 28

**Buyers Premium 18 % On-Line**



- 1 **2017 Williams 330 K2 S/N 21654** \_\_\_\_\_  
Reversible Impactor to Include, 150 HP, 480 V, 36" 5 HP Discharge Conveyor, 36" 7.5 HP Feed Conveyor, with Full Size Bypass, 4' x 4' Hopper, 1,200-RPM, 10" X 10" MAX. Lump Sizes, 2" Square Hole Test Sieve Nominal Product Passing @ 12-TPH Feed Rate
- 2 Qty (6) of Shredder Line to Include:., (1) \_\_\_\_\_  
REM Model HDL-3 Box Dumper S/N 6691-15, (1) REM Model SC-20 36" Belt Conveyor, S/N 6692-15, (1) REM Model TRC-29 36" Belt Conveyor S/N 6693-15, (1) SSI Model Quad Q85 (52) Quad Shredder S/N S2659, (1) REM Model TRC-36 36" Belt Conveyor S/N 6694-15, (1) Sentry Model GE Automatic Cross Cut Sampler (Sale Subject to Approval)
- 3 **2015 REM HDL-3 S/N 6691-15** Hydraulic \_\_\_\_\_  
Lift Box Dumper, 57-5/8" x 54" Bucket Size, 60" Discharge, 480 V, 3 Ph.
- 4 **2015 REM SC-20 S/N 6692-15** 36" \_\_\_\_\_  
Sorting Conveyor, 2 HP, 1800 RPM, 480 V, 3 Ph.
- 5 **2015 REM TRC-29 S/N 6693-15** 36" \_\_\_\_\_  
Transfer Conveyor, 3 HP, 1800 RPM, 480 V, 3 Ph.
- 6 **SSI Q55ED S/N S2659** Quad Shredder, \_\_\_\_\_  
150 HP, 460 V, 3 Ph., 60 Hz, 18.1" Cutter Diameter, 54" x 52" x 31" Chamber, 148" Hopper Infeed Height
- 7 **2015 REM TRC-36 S/N 6694-15** 36" \_\_\_\_\_  
Transfer Conveyor, 3 HP, 1800 RPM, 480 V, 3 Ph.
- 8 **Sentry GE** Automatic Cross Cut Sampler, \_\_\_\_\_  
1/2 HP, 230/460 V, 3 PH, 60 Hz
- 9 **TM Engineering** Rotary Sampler Divider, \_\_\_\_\_  
600 Liter Hopper, 1-1/4" Mass Flow Hopper Gate, (12) 47 Liter Removable Sub Sample Bins, 18 RPM Rotary Table, 480 V, 3 Ph.
- 10 **Patterson GMD S/N 15041P** 2' x 3' Ball \_\_\_\_\_  
Mill, Non-Jacketed Lined, 3 Ph., 60 Hz, 460 V, 3 HP, with (1) Kason Model K24-1PS-SS Vibrating Screen Separator, 1/3 HP, 230/460 V, 3 Ph., S/N M-5885, (1) Accolift 1 Ton Hoist
- 11 **Patterson GMD S/N 15040P** 3'6" x 4' Ball \_\_\_\_\_  
Mill, Non-Jacketed Lined, 3 Ph., 60 Hz, 460 V, 7.5 HP, with (1) SWECO Model CL48S888WC Vibrating Screen Separator, 2.5 HP, 460 V, 3 Ph., S/N 142485-AC3/17, (1) Accolift 1 Ton Hoist
- 12 Granulation System to Include: , (1) \_\_\_\_\_  
Lindberg Model 61-CHYT-400-B Crucible Furnace, 1894000 btu/hr., 2100 Degree F Max Temperature, Capacity: 1200 Brass @ 524/cf, 460 V, 3 PH, 60 Hz, (1) Lindberg Model 61-CHYT-225-B Crucible Furnace, 1437000 btu/hr., 2100 Degree F Max Temperature, Capacity: 600 Brass @ 524/cf, 460 V, 3 Ph., 60 Hz, (1) Economy Industrial Mini Induction Copper Granulator, 125 lbs./min Casting Rate, (1) Approx. 15' x 15' x 20' Mezzanine
- 13 **2014 Economy Industrial S/N P-12182014** Induction Copper Alloy \_\_\_\_\_  
Granulation System to Include:., 1,000 lb./min Casting Rate, 10 Ton/Day Granulation

Capacity, 1,600-Degree C Hot Metal Granulation Temperature, (1) Granulation Tank, Screen Collection Deck, 7.5-HP Containment Evac Pump, (1) Ladle Tilter, 20-Ton Capacity, 15-HP Hydraulic System, GORMAN RUPP MODEL VG6D3-B granulation process water pump, GORMAN RUPP MODEL VGH5C31-C granulation ejector pump, (1) Approx. 15' x 15' x 20' Mezzanine	31	Collection Silo <b>2015 Wamgroup SUV1P250630958 S/N 01SU150000615</b> Horizontal Dust Collection Silo
<b>Terex Simplicity S/N 1512-HSC120A-2766</b> Granulator Dryer, 48" x 5' Trommel Screen, 48" x 29' Rotary Dryer, 1000 lb./min Capacity, 8000000 btu, 3 HP Burner, 40 HP TEFC L.E.C. Frame 225M, 1425 RPM, 50 HP Exhaust Fan	32	<b>Caldo</b> Off Gas System
<b>Endura 36"</b> Lifting Conveyor, 3 HP, 1800 RPM, 480 V, 3 Ph.	33	Exhaust Stack, Approx. 60', 150 HP, 3500 Max Speed, 900 BSNZ50 Fan,
<b>Sentry GE</b> Automatic Cross Cut Sampler, 1/2 HP, 230/460 V, 3 PH, 60 Hz	34	<b>Platco Corp CVE-P13065-ES15 3-</b> Chamber Pulse Type Roaster Furnace Bag House, 100 HP I.D. Fan, 27-92 Degree Ambient Temp Range, 55 HP NYB Blower
<b>Maxon S/N C-2370-16 FGBLWR</b> Tundish Preheater, 140 Degree F Max Temp	35	<b>2015 Sullivan 75UDMBW S/N 1506240002</b> Compressor, 125 PSIG/8.62 BAR Max
<b>Palmer Acetarc S/N S01150</b> Ladle Preheater	36	<b>2015 Sullivan SPBS415N4436 S/N 48728</b> Regenerative Air Dryer, 415 SCFM @ 120 PSIG & 100 Degree F, 460 V, 3 Ph., 60Hz, 150 PSIG Max Inlet Pressure, 120 Degree F Max Inlet Temp,
<b>Camcorp</b> Lyme and Ash System to Include::, (1) Model 6PRB4 Pulse-Jet Receiver/Bin Vent Filter, (2) Model P45-7.5-3P Vacuum Blower Package with Roots Model 45 URAI Positive Displacement Rotary Lobe Blower, 7.5 HP, 23000/460 V, 3 Ph., 60 Hz, 1800 RPM, (1) Model 6PBR7 Pulse-Jet Receiver/Bin Vent Filter,	37	<b>2015</b> Receiving Tank, MAWP 150 PSI @ 400 Degree F, MDMT -20 Degree F @ 150 PSI, HD 210, SH 250
Hydraulic Lift Barrel Dumper, 3500 lb. Capacity	38	<b>2015</b> Receiving Tank, MAWP 155 PSI @ 400 Degree F, MDMT -20 Degree F @ 150 PSI, HD 250, SH 250
Hydraulic Lift Box Dumper, 3000 lb. Capacity, 48" x 48" Box Size Capacity	39	<b>Torit Donaldson DTF2-8 8-Cartridge</b> Style Dust Collector
<b>EPA Technologies</b> Thermal Reduction Furnace, 4-Chamber System, Combustion Capacity: 1.15 MMBtu/hr. Max @ 25KBtu /c.f., Primary Combustion Chambers: Fixed Hearth 28" x 52" I.D., 60.4 cu.ft. total, ( 15.1 cu.ft./cell), (4) .25 MMBtu/hr. NG Burners, Secondary Combustion Chamber: Thermal Oxidizer with 1+ sec.r/t @ 1600-1800 Degree F, 41.85 cu.ft., 1 MMBtu/hr. NG Burner Capacity, 3 HP, 208-240/460 V , 3 Ph., 60 Hz, 650 cfm @ 18.6" W>C> Pressure, with Allen-Bradley Micro 850 PLC	40	<b>Torit Donaldson DTF2-8 8-Cartridge</b> Style Dust Collector
<b>DFC 810 S/N 484</b> Electric Assay Furnace, 17" x 25" x 9" Work Space, 2100 Degree F Max Operating Temp, 460 V, 3 Ph., 60 Hz	41	<b>Torit Donaldson DTF2-8 8-Cartridge</b> Style Dust Collector
<b>DFC 810 S/N 436</b> Electric Assay Furnace, 17" x 25" x 9" Work Space, 2100 Degree F Max Operating Temp, 460 V, 3 Ph., 60 Hz	42	<b>Torit Donaldson DTF2-8 8-Cartridge</b> Style Dust Collector
Fire Assembly Additive Fume Hood, 50" x 36" x 80"	43	<b>Torit Donaldson DTF3-12 12-Cartridge</b> Style Dust Collector
<b>Gough</b> Material Feeder Hopper with Vibratory Feeder, 48" x 48" x 60"	44	<b>Camcorp</b> Lyme Silo, 1,018-CU. FT. Capacity, 120"D X 120"H
<b>Gough</b> Material Feeder Hopper with Vibratory Feeder, 48" x 48" x 72"	45	<b>Grieve NB350</b> Dual Door Lab Oven, 450 Degree F Max Temp
<b>Gough</b> Material Feeder Hopper with Vibratory Feeder, 48" x 48" x 72"	46	<b>2015 Amtek ARCOS FHM22 S/N 15002909</b> ICP Smart Analyzer, 230 V, 1 Ph., 60 Hz
<b>Gough</b> Material Feeder Hopper with Vibratory Feeder, 48" x 48" x 60"	47	<b>Carver 3664 S/N 150274</b> Pellet Press, 6-1/2" Stroke
<b>2015 Wamgroup SUV1P250630958 S/N 01SU150000614</b> Horizontal Dust	48	<b>Brunker S1 Titan</b> Hand Held XRF Analyzer, with Radiation Protective Box
	49	<b>Rockwell RK7866 S/N 201416000204</b> Table Top Grinder, 6" Disc, 3600 RPM, 4" x 36" Belt, 1700 FPM
	50	Lot of Inspection Equipment to Include::, ( 1) Extech Extik II EC400 Ph. Meter, (1) Martini Instruments Ph55 Ph. Meter, (1) 3M SD-200 Sound Detector, (1) BW GasAlertMax II Detector, (1) Leak Detection Kit
	51	<b>Drager Accuro</b> Gas Detection Pump, with Consumables
	52	<b>Sartorius Entris</b> Lab Scale, 4200g Max
	53	<b>Sartorius CPA225D</b> Balance, 220g Max, with Calibration Kit
	54	Agitation Apparatus, 115 V, 60 Hz, 1 Ph., 1/2 HP
	55	<b>SCP Science DigiPrep MS</b> Digestion System
	56	<b>SCP Science DigiPrep JR</b> Digestion System
	57	Lot of Inspection Equipment to Include::, ( 1) Hanna Edge Analyzer, (3) Eppendorf Pipettes, (1) Eppendorf Combitips

	Advanced Pipettes Tips, (1) Titrette Bottle			
	Top Burette	89		with LC3 Coating
58	Laboratory Hood, 50" x 24" x 36"	90		<b>Fosco Duratek PM</b> Crucible
59	Laboratory Hood, 50" x 24" x 36"			<b>King Carb</b> Crucible, 430 Integral Spout
60	Laboratory Hood, 50" x 24" x 36"			with LC3 Coating
61	Laboratory Hood, 50" x 24" x 36"	91		<b>King Carb</b> Crucible, 430 Integral Spout
62	<b>CE-7200A</b> Ultrasonic Cleaner	92		with LC3 Coating
63	Lot of Lab Consumables to Include::,			<b>King Carb</b> Crucible, 225 Bilge DT1-14
64	Glassware, Caps, Bottles, Gloves, Etc.	93		ATT
64	<b>Retsch PT200</b> Rotating Tube sample			<b>King Carb</b> Crucible, 225 Bilge DT1-14
65	Divider, with DR100 Vibratory Feeder	94		ATT
65	<b>Retsch RS200 S/N 1215070707B</b>			<b>King Carb</b> Crucible, 430 Integral Spout
66	Vibratory Disc Mill	95		with LC3 Coating
66	<b>Retsch AS200</b> Airjet Sieve			<b>King Carb</b> Crucible, 430 Integral Spout
67	<b>Sartorius MSE20201S-000-D0 S/N</b>	96		with LC3 Coating
68	<b>33011571</b> Lab Scale			<b>Westinghouse</b> Spare Ball Mill Screen, (For
68	<b>Dayton 13W871</b> 12" Plate Shear, 12" Max	97		3'6" x 4' Ball Mill)
69	Length, .25" Max Thickness,	98		<b>Gough</b> Vibratory Hopper Feeder
69	<b>Clark</b> 5500 lb. Pallet Jack	99		<b>Glual</b> Hydraulic Unit, 1 Hp, 230/460 V
70	<b>Clark C30GL S/N C232L-0730-9855-</b>			Qty (3) of Lot of Hydraulic Units with
71	<b>CNF</b> Forklift, Propane, 5600 lb. capacity,			Control Panel, (1) Airoyal Company Model
71	189" 3-Stage Mast, 4' Forks, with Rotation	100		OS-32903-15-00, S/N 745454-2, (1)
71	Attachment, 1571 Hrs.			Unknown
71	<b>Clark S/N P232L-2024-9839-CNF</b>	100		<b>2016 Glual S/N G/164.634/1</b> Hydraulic
72	Forklift, Propane, 5500 lb. capacity, 189" 3	101		Unit, 1 Hp, 230/460 V
72	-Stage Mast, 4' Forks, with Rotation	101		Skidded Pumping Unit to Include , (2) 20
72	Attachment, 1412 Hrs.	102		HP Baldor Motors, 460 V, 3 Ph., 60 Hz
72A	<b>2006 Genie S-65 S/N S6006-14445</b> Man	102		Skidded Pumping Unit to Include , (2) 20
73	Lift, Propane or Gas, 500 lb. Max Capacity,	103		HP Baldor Motors, 460 V, 3 Ph., 60 Hz
73	2-Person Max Occupancy, 65'4" Max	103		Lot of Various Size Motors, Ranging from
73	Height, 2387 Hrs.	104		10 HP to 30 HP
73	<b>Pettibone 6036</b> Telescope Forklift,	104		<b>Spang</b> Qty (3) of Water Cooled Inductors,
74	Estimated: 7900 Hrs [Loc: Chicago, IL]	105		500 V, 1200/4000 A
74	<b>Ace S/N C14-0012</b> Overhead Bridge Crane	105		Lot of Spare Crusher Blades, 18" Dia.
74	, Approx. 70', 20-Ton Max Capacity, 5-Ton	106		<b>2015 Bijur Delimon S/N 856/CS2A1</b>
74	Aux. Hoist, with Approx. 200' Crane	107		Process Water System, 480 V, 60 Hz
74	Track	107		<b>Bijur Delimon</b> Process Water System
74	<b>Steel Dragon SDT-EWH0440</b> Mini	108		<b>2015 Bijur Delimon S/N 856/OG1A1</b> Off
75	Electric Wire Hoist, 440 lb. Capacity, 40'	109		Gas Thermal Oxidizer Skid, 480 V, 60 Hz
75	Single Hook Lifting Height, 20' Double	109		<b>Bijur Delimon</b> Copper Cooler Manifold,
75	Hook Lifting Height, 110 V, 60 Hz	110		480 V, 60 Hz
75	<b>Accolift S/N 1505048</b> 1-Ton Chain Hoist	110		<b>Bico</b> Small Pulverizer
76	<b>Accolift</b> 1-Ton Chain Hoist, with 6' Abell-	111		<b>Schenck Process S/N 1100287379-010-1</b>
76	Howe Swing Arm	111		Mac Bag Dump Station
77	<b>Acetarc S/N 4809.15</b> 60" Ladle	112		Qty (16) of Sections of Pallet Racking to
77	Attachment for Crane, Ladle Type: L-Bail	112		Include:, (128) 9' Cross Members, (18) 20'
78	72" x 72" Rigging Rack to Include::, I-	113		Up Rights, Metal Decking, with Assorted
78	Hooks, Chains, Steel Braided Cable, Etc.	113		Size Steel Drums, Refraction Brick and
79	<b>SH-STDT-20GP</b> 20' Shipping Container	113		Moarter, Etc.
79	Lab Conversion, 67200 lb. Max Gross	113		Qty (16) of Sections of Pallet Racking to
80	Weight, (Contents not Included)	113		Include:, (128) 9' Cross Members, (18) 20'
80	<b>2002 K-Line JS-D44KL-C</b> 40' Shipping	113		Up Rights, Metal Decking, with Assorted
80	Container with Contents to Include::, Hoses	113		Size Steel Drums, Refraction Brick and
81	, Gate Valves, Wire, Shelving Unit, Etc.	114		Moarter, Hoses, Electrical Spare Parts,
81	<b>2000 K-Line AIS-DSC-42-35</b> 40' Shipping	114		Bags of Lyme, Etc.
81	Container with Contents to Include::,	114		Qty (9) of Sections of Pallet Racking to
82	Hoses, Shelving Units, Totes, Etc.	114		Include:, (54) 9' Cross Members, (10) 20'
82	<b>Acetarc</b> Ladle, W Horse Type, 6750 KG	114		Up Rights, Metal Decking, with Assorted
82	Capacity	114		Size Steel Drums, Refraction Brick and
83	<b>Acetarc</b> Ladle, W Horse Type, 6750 KG	115		Moarter Etc.
83	Capacity	115		Qty (4) of Sections of Pallet Racking to
84	<b>Acetarc S/N 5061 17</b> Ladle, W Horse Type	115		Include:, (34) 9' Cross Members, (5) 20' Up
84	, 6750 KG Capacity (New)	115		Rights, Metal Decking with Hoses,
85	Tundish, 68" x 54" x 41" (New)	115		Gaylord Boxes, Metal Pallet Racking
85	Tundish, 68" x 54" x 41"	115		Decking
86	<b>King Carb</b> Crucible, 430 Integral Spout	116		Qty (12) of Sections of Pallet Racking to
86	with LC3 Coating	116		Include:, (120) 9' Cross Members, (14) 27'
87	<b>King Carb</b> Crucible, 430 Integral Spout	117		Up Rights, Metal Decking
88		117		Contents of Pallet Racking to Include:, (13
				) 47" x 41" x 48" Plastic Totes

118	Qty (6) of Sections of Pallet Racking to Include:, (60) 9' Cross Members, (7) 27' Up Rights, Metal Decking	_____	148	Include:, Assorted Respirators, Ear Plugs, Gloves, Etc. Lot of Assorted Heat Resistant Fire Proof Body Suits	_____
119	Contents of Pallet Racking to Include:, (40) 47" x 41" x 48" Plastic Totes	_____	149	Lot of Assorted Heat Resistant Fire Proof Body Suits	_____
120	Qty (4) of Sections of Pallet Racking to Include:, (18) 9' Cross Members, (6) 57" Cross Members, (6) 16' Up Rights, Metal Decking	_____	150	<b>Cotterman</b> 5-Step Portable Staircase, with 48" x 36" Platform, 800 lb. Capacity	_____
121	Contents of Pallet Racking to Include:, (33) 47" x 41" x 48" Plastic Totes	_____	151	Qty (4) of Pallets of Assorted Electrical Spares to Include , Spang Model E80410001 IGBT Chopper Modules 650 V , 1 Ph., Spang Model EB1060000 Power Control Units, Assorted Electrical Cabinets	_____
122	Qty (8) of Sections of Pallet Racking to Include:, (24) 9' Cross Members, (8) 57" Cross Members, (11) 12' Metal Up Rights	_____	152	<b>Spang Power Electronics</b> Dry-Type Transformer, 1900 KVA, 3 Ph., 60 Hz, Primary: 14490 V/75.7 A, 13800 V/79.5 A, 13110 V/83.7 A, Secondary: 240 V/2285 A	_____
123	Contents of Pallet Racking to Include:, (23) 47" x 41" x 48" Plastic Totes	_____	153	8" Wilton Bench Top Vise, with 72" x 48" Steel Work Table	_____
124	Qty (2) of Sections of Pallet Racking to Include:, (12) 9' Cross Members, (3) 12' Up Rights Metal Decking	_____	154	Lot of Desktop Computers to Include:, (2) HP Compaq 8200 Towers, (2) Dell Inspiraon 3646 Towers, (8) Assorted Size Monitors, Wireless Keyboards and Computer Chords	_____
125	Qty (55) of 9' Pallet Racking Cross Members	_____	155	Lot of Laptop Computers to Include:, (1) Dell Inspiraon 15, (1) Dell Latitude 6440, (1) Dell Latitude 5550 (No Charging Chords )	_____
126	Qty (16) of Pallet Racking Up Rights to Include:, (8' 12', (2) 24', (6) 27'	_____	156	Lot of Assorted Printers to Include:, (1) HP Office Jet 4632, (1) Brothers Model MFC-J4310DW, (1) Brothers P-Touch Edge, (2) Brothers QL-700, (1) Energy Star NEO	_____
127	Elevated Control Booth, 10' x 10' x 24', with Computer Monitors, Computer Chairs, Desks, Etc.	_____			
128	Breakroom Trailer, 40' Single Wide, with Kitchen, Bathrooms, Tables, Chairs, Etc.	_____			
129	<b>Bluff 15TFL7272 S/N 322230</b> 72" x 72" Dock Plate, 15,000 lb. Cap	_____			
130	<b>Bluff 15TFL7272 S/N 322230</b> 72" x 72" Dock Plate, 15,000 lb. Cap	_____			
131	<b>Sartorius CAPS4U-5000NN-LV</b> 5,000 lb. Floor Scale, 48" x 48", with Sartorius Midrics II DRO	_____			
132	<b>Avery Weigh-Tronix DSL4848-05 S/N 80359</b> 5,000 lb. Floor Scale, 48" x 48", with Avery Weigh-Tronix ZM301 DRO	_____			
133	<b>Sartorius CAPS4U-5000NN-LV</b> 5,000 lb. Floor Scale, 48" x 48", with Sartorius Midrics II DRO	_____			
134	<b>Sartorius CAPS4U-5000NN-LV</b> 5,000 lb. Floor Scale, 48" x 48", with Sartorius Midrics II DRO, (1) 50" x 36" Roller Conveyor	_____			
135	<b>Sartorius CAPS4U-5000NN-LV</b> 5,000 lb. Floor Scale, 48" x 48", with Sartorius Midrics II DRO	_____			
136	<b>Remington 135</b> Kerosene Heater, 135,000 Btu/Hr.	_____			
137	<b>Enerco HeatStar</b> Propane Heater, 250,000 -400,000 Btu/Hr.	_____			
138	<b>JustRite Sure-Grip EX</b> Flame Cabinet, 30 Gallon Capacity	_____			
139	<b>Condor</b> Flame Cabinet, 90 Gallon Capacity	_____			
140	Flame Cabinet	_____			
141	<b>Eagle 1947</b> Flame Cabinet, 45 Gallon Capacity	_____			
142	Flame Cabinet	_____			
143	Flame Cabinet	_____			
144	Flame Cabinet	_____			
145	76" x 48" 2-Door Cabinet with Contents to Include:, Assorted Respirators, Gloves, Body Harness, Etc.	_____			
146	76" x 48" 2-Door Cabinet with Contents to Include:, Assorted Respirators, Gloves, Disposable Coveralls, Hard Hats Etc.	_____			
147	76" x 48" 2-Door Cabinet with Contents to	_____			